For Research Use Only

CoraLite®594-conjugated Phospho-AKT (Ser473) Recombinant antibody

Catalog Number: CL594-80455



Basic Information

Catalog Number: GenBank Accession Number:

CL594-80455 NM 005163 GeneID (NCBI):

100ul, Concentration: 1000 ug/ml by 207

Nanodrop: **UNIPROT ID:** Source: P31749 Rabbit Full Name:

Isotype: v-akt murine thymoma viral IgG oncogene homolog 1

> Observed MW: 58 kDa

Purification Method:

Protein A purification

CloneNo.: 2E17

Excitation/Emission maxima

wavelengths: 588 nm / 604 nm

Applications

Tested Applications:

FC (Intra)

Species Specificity:

human

Background Information

AKT is a serine/threonine kinase and it participates in the key role of the PI3K signaling pathway. Phosphatidylinositol-3 kinase (PI3K) is the key regulator of AKT activation. The recruitment of inactive AKT protein to PIP3-rich areas of the plasma membrane results in a conformational change that exposes the activation loop of AKT. AKT's activating kinase, phosphoinositide-dependent protein kinase (PDK1), is also recruited to PIP3 microdomains. PDK1 phosphorylates AKT on threonine 308 (Thr308) of the exposed activation loop, activating AKT and leading to a second phosphorylation of AKT at serine 473 (Ser473) by a kinase presumed to be mTORC2 that further potentiates kinase activity. Active AKT will phosphorylate various downstream protein targets that control cell growth and translational control and act to suppress apoptosis. (PMID: 31594388, PMID: 30808672)

Storage

Storage


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data



1X10^6 HEK-293 cells untreated (dashed lines) or treated with Calyculin A (red) were intracellularly stained with 0.13 ug Coralite®594 Anti-Human Phospho-AKT (Ser473) (CL594-80455, Clone:2E17), or 0.13 ug Control Antibody (blue). Cells were fixed with 4% PFA and permeabilized with 80% MeOH.