For Research Use Only

# WTAP Polyclonal antibody

Catalog Number:10200-1-AP

Featured Product

46 Publications



### **Basic Information**

Catalog Number: 10200-1-AP Size: 150ul , Concentration: 500 µg/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG0259

GenBank Accession Number: BC000383 GeneID (NCBI): 9589 UNIPROT ID: Q15007 Full Name: Wilms tumor 1 associated protein Calculated MW: 45 kDa Observed MW: 50-55 kDa

#### Purification Method: Antigen affinity purification

Recommended Dilutions:

WB 1:2000-1:16000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

# Applications

Tested Applications: WB, IP, ELISA Cited Applications: WB, IP, IF, RIP, IHC, CoIP Species Specificity: human, mouse, rat Cited Species: human, rat, mouse

#### Positive Controls:

WB : HeLa cells, Jurkat cells, HepG2 cells, MOLT-4 cells, LO2 cells, K-562 cells IP : Jurkat cells, HEK-293 cells

# **Background Information**

WTAP, also named as KIAA0105 and hFL(2)D, is previously identified as a protein associated with Wilms' tumor-1 (WT-1) protein that is essential for the development of the genitourinary system. It is a Pre-mRNA-splicing regulator protein. It is a regulatory subunit of the WMM N6-methyltransferase complex which plays a role in the efficiency of mRNA splicing and processing and mRNA stability. It is required for accumulation of METTL3 and METTL14 to nuclear speckle. MW of WTAP is 50-55 kDa due to phosphorylation.

### Notable Publications

Author	Pubmed ID	Journal	Application
Yong Ge	34467630	EMBO Rep	WB,IP
Yuanpei Li	36289222	Nat Commun	WB,IHC,IF
Lingfang Wang	36288717	Cell Rep	WB

## Storage


Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage


\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

# Selected Validation Data






HeLa cells were subjected to SDS PAGE followed by western blot with 10200-1-AP (WTAP antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours. WB result of WTAP specific antibody (10200-1-AP, 1:6000) with si-control and si-WTAP transfected Jurkat cells.



IP result of anti-WTAP (IP:10200-1-AP, 3ug; Detection:10200-1-AP 1:500) with HEK-293 cells lysate 2500ug.



IP result of anti-WTAP (IP:10200-1-AP, 4ug; Detection:10200-1-AP 1:8000) with Jurkat cells lysate 2280 ug.