#### For Research Use Only

# TIMP1 Polyclonal antibody

Catalog Number: 10753-1-AP

35 Publications



**Basic Information** 

Catalog Number:

10753-1-AP

Size:

150ul , Concentration: 413  $\mu g/ml$  by Bradford method using BSA as the

standard; Source:

Rabbit

Isotype:

Immunogen Catalog Number:

AG1146

GenBank Accession Number:

BC007097 GeneID (NCBI):

7076 **UNIPROT ID:** P01033

Full Name:

TIMP metallopeptidase inhibitor 1

Calculated MW:

23 kDa

**Applications** 

**Tested Applications:** 

IF, IHC, ELISA

**Cited Applications:** 

IF, IHC

Species Specificity:

human

**Cited Species:** 

human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Purification Method:** 

Antigen affinity purification

Recommended Dilutions:

IHC 1:50-1:500 IF 1:50-1:500

**Positive Controls:** 

IHC: human breast cancer tissue,

IF: HepG2 cells,

## **Background Information**

Tissue Inhibitor of Metalloproteinases-1 (TIMP1) is a naturally occurring protein in the human organism regulating the activity of matrix metalloproteinases (MMPs). TIMP1 encodes a 931 base-pair mRNA and a 207 amino acid protein. Overexpression of TIMP1 can lead to a substantially increase of genes involved in proliferation, apoptosis and signal transduction. In addition, TIMP1 was found to decrease tumor cell sensitivity to multiple anticancer drugs  $by \ activation \ of \ downstream \ pathways \ and \ exhibited \ anti-apoptotic \ activity. \ Specifically, \ the \ TIMP1 \ could \ degrade$  $cyclin \textbf{B1} \ and \ activate \ the \ NF-k\beta \ signaling \ pathway \ to \ protect \ breast \ cancer \ cells \ against \ chemotherapy-induced \ cell$ death.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Jen-Jie Lin	25222667	Mar Drugs	
Yuqing Mao	26378522	Int J Mol Sci	IHC
Li Shang	25337715	PLoS One	IHC

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free

in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


### Selected Validation Data



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 10753-1-AP (TIMP1 Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 10753-1-AP (TIMP1 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using 10753-1-AP (TIMP1 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).