## For Research Use Only

## SRPK2 Polyclonal antibody

Catalog Number: 25417-1-AP

**Featured Product** 

1 Publications



**Purification Method:** 

WB 1:500-1:1000

IHC 1:50-1:500

for WB

Antigen affinity purification

IP 0.5-4.0 ug for IP and 1:200-1:1000

Recommended Dilutions:

**Basic Information** 

Catalog Number:

Size

GenBank Accession Number:

25417-1-AP BC035214

GeneID (NCBI): 6733

150ul, Concentration: 900 µg/ml by Nanodrop and 433  $\mu g/ml$  by Bradford Full Name:

method using BSA as the standard;

SFRS protein kinase 2

Calculated MW: Rabbit 688 aa, 78 kDa Isotype: Observed MW: IgG

Immunogen Catalog Number:

AG17885

105-110 kDa

**Applications** 

**Positive Controls:** 

WB: HeLa cells, IP: HeLa cells.

**Cited Applications:** 

**Tested Applications:** 

IHC. IP. WB.FIISA

IF. WB

Species Specificity:

human

**Cited Species:** 

human

IHC: mouse testis tissue, mouse brain tissue

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

**Background Information** 

SRPK2, also named as serine/arginine protein kinase 2 and SFRSK2, belongs to SR protein-specific kinase family which phosphory late the serine/arginine domain containing proteins in the nuclear speckles to mediate pre-mRNAsplicing (PMID: 22854045). In addition to its major role as kinase for the phosphorylation of SR proteins, SRPK2 is involved in cell cycle regulation and cell apoptosis (PMID: 19592491). SRPK2 promotes the proliferation and migration of the colon cancer cells. It has been reported to be regulated in several cancer types (PMID: 27041240). It has 2 isoforms with the calculated molecular mass of 77-79 kDa, and the apparent molecular mass of 105-115 kDa due to posttranslational modification (PMID: 12134018, 16122776).

**Notable Publications** 

Author Pubmed ID Application WB,IF Guillaume Fonteneau 35674408 Cancer Discov

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


\*\*\* 20ul sizes contain 0.1% BSA

Aliquoting is unnecessary for -20°C storage

in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com


## **Selected Validation Data**



WB result of SRPK2 antibody (25417-1-AP; 1:600; incubated at room temperature for 1.5 hours) with sh-Control and sh-SRPK2 transfected HeLa cells.




HeLa cells were subjected to SDS PAGE followed by western blot with 25417-1-AP (SRPK2 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 25417-1-AP (SRPK2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 25417-1-AP (SRPK2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP Result of anti-SRPK2 (IP:25417-1-AP, 4ug; Detection:25417-1-AP 1:300) with HeLa cells lysate 3200ug.