For Research Use Only

GFP tag Polyclonal antibody

Catalog Number: 50430-2-AP

596 Publications



Basic Information

Catalog Number:

50430-2-AP

Nanodrop:

Size:

GenBank Accession Number:

U73901

GeneID (NCBI):

150ul , Concentration: 1000 µg/ml by Full Name:

Calculated MW:

26 kDa

Rabbit

Isotype: IgG

Immunogen Catalog Number:

AG2128

Tested Applications:

WB, IP, IF, ELISA

WB, IP, IF, RIP, IHC, CoIP, ChIP, IP-MS

Species Specificity:

aequorea victoria, recombinant protein

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:4000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IF 1:20-1:200

Applications

Cited Applications:

Cited Species:

yeast, rat, mouse, monkey, hamster

Positive Controls:

WB: recombinant protein, Transfected HEK-293 cells

IP: Transfected HEK-293 cells,

IF: Transfected HEK-293 cells,

Background Information

Green Fluorescent Proteins (GFPs) encompass a diverse range of proteins carrying a green chromophore, originating from various species and forming different protein lineages. Wildtype GFP consists of 238 amino acid residues (26.9 kDa). GFP was first identified in the jellyfish Aequorea victoria. It emits green light with a peak wavelength of 509 nm upon excitation by blue light at 395 nm. When fused with other proteins, GFP serves as a versatile reporter protein e.g. for quantifying expression levels or facilitates visualization of subcellular localization through fluorescence microscopy. This antibody is a rabbit polyclonal antibody, generated against the full-length eGFP $protein.\ It\ exhibits\ reactivity\ towards\ variants\ of\ A equorea\ victoria\ GFP,\ including\ S65T-GFP,\ RS-GFP,\ VFP,\ CFP,\ and$

Notable Publications

Author	Pubmed ID	Journal	Application
Bin Li	28962583	Stem Cell Res Ther	IF
Chao Li	26317901	Oncotarget	
Yuqi Zhai	36168805	Open Biol	IP

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


*** 20ul sizes contain 0.1% BSA

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Western blot of eGFP-tagged fusion protein with anti-eGFP-tag (50430-2-AP) at various dilutions.



Transfected HEK-293 cells were subjected to SDS PAGE followed by western blot with 50430-2-AP (GFP tag Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



IP result of anti-GFP tag (IP:50430-2-AP, 4ug; Detection:50430-2-AP 1:5000) with Transfected HEK-293 cells lysate 300ug.



Immunofluorescent analysis of (-20°C Ethanol) fixed Transfected HEK-293 cells using 50430-2-AP (GFP tag antibody) at dilution of 1:100 and Alexa Fluor 594-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).