For Research Use Only

ZC3HAV1 Monoclonal antibody

Catalog Number:66413-1-lg Featured Product

3 Publications



Purification Method:

WB 1:1000-1:6000 IHC 1:50-1:500

IF 1:50-1:500

Basic Information

Applications

Catalog Number: GenBank Accession Number:

Protein G purification 66413-1-lg BC025308 GeneID (NCBI): CloneNo.:

150ul, Concentration: 1400 µg/ml by 56829 1G10B9 Nanodrop and 1000 µg/ml by Bradford_{Full Name}: Recommended Dilutions:

method using BSA as the standard; zinc finger CCCH-type, antiviral 1 Calculated MW:

Mouse 699aa,78 kDa; 902aa,101 kDa

Isotype: Observed MW: lgG1 100 kDa

Immunogen Catalog Number:

Tested Applications:

AG10364

human **Cited Species:** **Positive Controls:**

IF, IHC, WB, ELISA WB: Jurkat cells, HEK-293 cells, HeLa cells

Cited Applications: IHC: human kidney tissue, IF. WB

IF: HepG2 cells, Species Specificity:

human Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Background Information

he zinc-finger antiviral protein (ZAP) was originally identifed from a rat cDNA library due to its conferring resistance to retroviruses. ZC3HAV1 is a CCCH-type zinc finger protein, it may primarily function to inhibit viral gene expression and induce an innate immunity to viral infection. Alternative splicing occurs at this locus and two variants, each encoding distinct isoforms.

Notable Publications

Author	Pubmed ID	Journal	Application
Ana Cristina Gonzalez-Perez	33947766	mBio	WB
Marlene V Buckmaster	35913217	J Virol	IF
Matthew B McDougal	37497756	EMBO Rep	WB

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

E: proteintech@ptglab.com

W: ptglab.com


Selected Validation Data




WB result of ZC3HAV1 antibody (66413-1-Ig; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-ZC3HAV1 transfected HEK-293 cells.



Jurkat cells were subjected to SDS PAGE followed by western blot with 66413-1-1g (ZC3HAV1 Antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human kidney tissue slide using 66413-1-Ig (ZC3HAV1 Antibody) at dilution of 1:300 (under 40x lens).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using 66413-1-Ig(ZC3HAV1 antibody) at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).