NeutraControl VEGF165 Monoclonal antibody



Catalog Number:69525-1-lg

Basic Information	Catalog Number: 69525-1-lg Size: 100ug Source: Mouse Isotype: IgG1 Immunogen Catalog Number: HZ-1038	GenBank Accession Number: GeneID (NCBI): 7422 Full Name: vascular endothelial growth factor A	Purification Method: Protein G purification CloneNo.: 7E9F4	
Applications	Tested Applications: Non-Neutralization, ELISA			
	Species Specificity: Human			
Background Information	angiogenesis, vasculogenesis and er cell migration, inhibits apoptosis and KDR/VEGFR2 receptors, heparan sulfa complications of diabetes type 1 (MV homodimer forms (e.g.; VEGFA189 34	ned as VEGF or VPF, belongs to the PDGF/VEGF growth factor family. It is a growth factor active in asculogenesis and endothelial cell growth. VEGFA induces endothelial cell proliferation, promotes nhibits apoptosis and induces permeabilization of blood vessels. It binds to the FLT1/VEGFR1 and reptors, heparan sulfate and heparin. Defects in VEGFA are associated with microvascular f diabetes type 1 (MVCD1). VEGFA has 17 isoforms with MW from 16 to 45 kDa. Some isoforms have ns (e.g.; VEGFA189 38 kDa or VEFGA110 34 kDa). VEGF-A exists in at least seven homodimeric onomers consist of 121, 145, 148, 165, 183, 189, or 206 amino acids (PMID:15602010).		
	This antibody is a neutralizing contro but could not neutralize human VEGF	,	en is the same as Neutrakine 69025-1-lg	
Storage	reconstitution we recommend that th term. Repeated freeze thaw cycles sh Storage Buffer: Sterile PBS.	hilized antibodies are stable for 1 year from the date of receipt if stored between (-20°C) and (-80°C). Upon nstitution we recommend that the solution can be stored at(4°C) for short term or at(-20°C) to (-80°C) for long . Repeated freeze thaw cycles should be avoided with reconstituted products. ge Buffer. le PBS.		
*** 20ul sizes contain 0.1% BSA	Aliquoting is unnecessary for -20 $^{\circ}$ C s	storage		


 For technical support and original validation data for this product please contact:

 T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
 E: proteintech@ptglab.com

 W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Recombinant human VEGF 165 (Cat.NO. HZ-1038) stimulates proliferation of HUVEC (human umbilical vein endothelial) cell line in a dose-dependent manner (blue curve, refer to bottom X-left Y axis). The activity of human VEGF 165 (10 ng/mL HZ-1038) is neutralized by mouse anti-human VEGF 165/121 monoclonal antibody 69025-1-1g at serial dose (red curve, refer to top X-right Y axis). The ND50 is typically 0.5-2 µg/mL The NeutraControl mouse anti-human VEGF 165 Indirect ELISA was carried out by coating recombinant Human VEGF165 (Cat.NO. HZ-1038) and VEGF121 (Cat.NO. HZ-1204) respectively at 70 ng/well followed by blocking and adding serial diluted VEGF165/121 antibody 69025-1-Ig and VEGF165 antibody 69252-1-Ig respectively. HRP-goat anti-mouse was used for detection. Signal was developed with TMB and stopped by H2SO4. Signal strength was measured by absorbance at 450 nm. The result suggsts that