

For Research Use Only

HSD3B7 Polyclonal antibody

Catalog Number: 10488-1-AP



Basic Information

Catalog Number: 10488-1-AP	GenBank Accession Number: BC004929	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 133 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 80270	Recommended Dilutions: WB 1:500-1:1000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:20-1:200
Source: Rabbit	UNIPROT ID: Q9H2F3	
Isotype: IgG	Full Name: hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 7	
Immunogen Catalog Number: AG0755	Calculated MW: 41 kDa	
	Observed MW: 36 kDa	

Applications

Tested Applications: WB, IP, IHC, ELISA	Positive Controls:
Species Specificity: human, mouse	WB : mouse liver tissue,
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	IP : mouse liver tissue,
	IHC : human pancreas cancer tissue, human kidney tissue, human liver tissue

Background Information

HSD3B7(3 beta-hydroxysteroid dehydrogenase type 7) is also named as 3-beta-HSD VII,C(27) 3-beta-HSD and belongs to the 3-beta-HSD family. The 3-beta-HSD enzymatic system plays a crucial role in the biosynthesis of all classes of hormonal steroids and HSD VII is active against four 7-alpha-hydroxylated sterols. This enzyme is expressed predominantly in the liver(PMID:11067870). Defects in HSD3B7 are the cause of congenital bile acid synthesis defect type 1 (CBAS1). It has 2 isoforms produced by alternative splicing.

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



mouse liver tissue were subjected to SDS PAGE followed by western blot with 10488-1-AP (HSD3B7 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human pancreas cancer using 10488-1-AP (HSD3B7 antibody) at dilution of 1:50 (under 10x lens).



IP result of anti-HSD3B7 (IP:10488-1-AP, 4ug; Detection:10488-1-AP 1:300) with mouse liver tissue lysate 6000 ug.