For Research Use Only

MAOA Polyclonal antibody

Catalog Number: 10539-1-AP

Featured Product

28 Publications



Basic Information

Catalog Number: GenBank Accession Number:

10539-1-AP BC008064
Size: GeneID (NCBI):

150ul , Concentration: 800 ug/ml by 4128

Nanodrop; UNIPROT ID:
Source: P21397
Rabbit Full Name:

Isotype: monoamine oxidase A
IgG Calculated MW:

Immunogen Catalog Number: 60 kDa AG0821

821 Observed MW:

60 kDa

Purification Method: Antigen affinity purification Recommended Dilutions:

WB: 1:1000-1:5000 IP: 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC: 1:300-1:1200

Applications

Tested Applications: WB, IHC, IP, ELISA

Cited Applications: WB, IHC, IF, CoIP Species Specificity:

human
Cited Species:

human, mouse, rat, monkey

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: LNCaP cells, human placenta tissue

IP: LNCaP cells,

IHC: human pancreas cancer tissue,

Background Information

MAOA belongs to the flavin monoamine oxidase family. It catalyzes the oxidative deamination of biogenic and xenobiotic amines and has important functions in the metabolism of neuroactive and vasoactive amines in the central nervous system and peripheral tissues. MAOA preferentially oxidizes biogenic amines such as 5-hydroxytryptamine (5-HT), norepinephrine and epinephrine.

Notable Publications

Author	Pubmed ID	Journal	Application
Xiaochao Tan	32931483	J Clin Invest	
Odetta Antico	34767452	Sci Adv	WB
Yinrui Guo	34045460	Transl Psychiatry	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 10539-1-AP (MAOA antibody) at dilution of 1:600 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 10539-1-AP (MAOA antibody) at dilution of 1:600 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 10539-1-AP (MAOA antibody) at dilution of 1:2500 incubated at room temperature for 1.5 hours.



IP result of anti-MAOA (IP:10539-1-AP, 4ug; Detection:10539-1-AP 1:5000) with LNCaP cells lysate 880 ug.



Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 10539-1-AP (MAOA antibody) at dilution of 1:600 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).