## For Research Use Only

## MOXD1 Polyclonal antibody

Catalog Number: 11545-1-AP

2 Publications



**Purification Method:** 

IHC 1:50-1:500

WB: mouse brain tissue, rat brain tissue

IHC: mouse brain tissue, rat brain tissue

Positive Controls:

Antigen affinity purification

Recommended Dilutions: WB 1:500-1:1000

**Basic Information** 

Catalog Number: GenBank Accession Number:

BC018756

ze: GeneID (NCBI):

150ul , Concentration: 350 µg/ml by 26002 Nanodrop; Full Name

Source: monooxygenase, DBH-like 1

Rabbit Calculated MW:
Isotype: 69 kDa
IgG Observed MW:
Immunogen Catalog Number: 63-70 kDa

AG2060

11545-1-AP

Applications

**Tested Applications:** 

IHC, WB, ELISA
Cited Applications:

IHC, WB

Species Specificity: human, mouse, rat Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Monooxygenase DBH like 1 (MOXD1) is a member of the copper monooxygenase family, including dopamine monooxygenase (dopamine  $\beta$ -monooxygenase, DBM) and peptidylglycine  $\alpha$ -hydroxylating monooxygenase (PHM). MOXD1 is expressed during the development of the neural crest, and distributed along the olfactory bulb, cerebellum, brain stem, and parietal cortex with the development of nerve cells, participating in the basal plate. MOXD1 is highly expressed in GBM cells and can promote the growth of cancer cells (PMID: 35393406). In addition, MOXD1 is a gate-keeper of organ homeostasis and functions as a tumor-suppressor in neuroblastoma

**Notable Publications** 

| Author       | Pubmed ID | Journal               | Application |
|--------------|-----------|-----------------------|-------------|
| Tongtong Pan | 38042280  | Life Sci              | WB,IHC      |
| Fuhai Bai    | 37889347  | Funct Integr Genomics | WB          |

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAR (1-888-478-4522) (full free F: proteintech@ptglab.com


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 11545-1-AP (MOXD1 antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 11545-1-AP (MOXD1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 11545-1-AP (MOXD1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat brain tissue slide using 11545-1-AP (MOXD1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat brain tissue slide using 11545-1-AP (MOXD1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).