# For Research Use Only

# LIAS Polyclonal antibody

Catalog Number: 11577-1-AP 56 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number:

11577-1-AP BC023635 GeneID (NCBI): Size:

150ul , Concentration: 800 ug/ml by 11019 Nanodrop:

**UNIPROT ID:** 043766 Rabbit Full Name:

Isotype: lipoic acid synthetase IgG Calculated MW: Immunogen Catalog Number: 372 aa, 42 kDa AG2162 Observed MW:

34-42 kDa

**Purification Method:** Antigen affinity purification Recommended Dilutions: WB 1:1000-1:5000

IHC 1:50-1:500

# **Applications**

**Tested Applications:** WB, IHC, ELISA **Cited Applications:** WB, IHC, IF Species Specificity: human, mouse, rat **Cited Species:** 

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### **Positive Controls:**

WB: LO2 cells, HepG2 cells, human brain tissue, Raji cells, K-562 cells, mouse brain tissue, mouse liver tissue, rat liver tissue

IHC: human liver cancer tissue, human lymphoma

# **Background Information**

LIAS(lipoyl synthase, mitochondrial) is also named as LAS and belongs to the radical SAM superfamily and lipoyl synthase family. It produces alpha-lipoic acid, an antioxidant and an essential cofactor in alpha-ketoacid dehydrogenase complexes, which participate in glucose oxidation and ATP generation (PMID: 22021711). The deduced 373-amino acid protein has a calculated molecular mass of about 42 kD. The N-terminal 26 amino acids encode a potential mitochondrial targeting presequence that, upon removal, would result in a deduced mature protein of 347 amino acids with a molecular mass of about 39 kD(PMID:11389890). Defects in LIAS are a cause of pyruvate dehydrogenase lipoic acid synthetase deficiency (PDHLD).

### **Notable Publications**

Author	Pubmed ID	Journal	Application
César Vásquez-Trincado	34550363	Hum Mol Genet	WB
Ying Wang	34707288	Nature	WB
Jinke Huang	36389705	Front Immunol	IHC

# Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free

in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


# **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 11577-1-AP (LIAS antibody) at dilution of 1:2500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 11577-1-AP (LIAS antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 11577-1-AP (LIAS antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).