For Research Use Only

ALKBH3 Polyclonal antibody

Catalog Number:12292-1-AP

Featured Product 5 Publications


Antibodies | ELISA kits | Proteins www.ptglab.com

| Basic Information | Catalog Number: 12292-1-AP | GenBank Accession Number: BC015155 | Purification Method: Antigen affinity purification | |
|--|--|---|---|--|
| | Size: | GenelD (NCBI): | Recommended Dilutions: WB 1:500-1:1000 IHC 1:50-1:2000 | |
| | 150ul , Concentration: 550 ug/ml by | 221120 | | |
| | Nanodrop and 293 ug/ml by Bradford | UNIPROT ID: | | |
| | method using BSA as the standard; | Q96Q83 Full Name: alkB, alkylation repair homolog 3 (E. coli) Calculated MW: 286 aa, 33 kDa | | |
| | Source: Rabbit | | | |
| | Isotype: | | | |
| | IgG | | | |
| | - Immunogen Catalog Number: | | | |
| | AG2982 | Observed MW: | | |
| | | 22-25 kDa, 33kDa | | |
| Applications | Tested Applications: | Positive C | Positive Controls: WB : Jurkat cells, mouse kidney tissue, mouse heart tissue, rat heart tissue | |
| | WB, IHC, ELISA | WB: Jurka | | |
| | Cited Applications: | tissue, rat | | |
| | WB, IHC | | IHC : human lung cancer tissue, human testis tissue, human prostate cancer tissue, human pancreas cancer tissue, rat stomach tissue, mouse stomach tissue | |
| | Species Specificity: human, mouse, rat | | | |
| | Cited Species: | | | |
| | human | | | |
| | Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 | | | |
| | TE buffer pH 9.0; (*) Alternativ retrieval may be performed w | vely, antigen | | |
| Background Information | TE buffer pH 9.0; (*) Alternativ retrieval may be performed w buffer pH 6.0 ALKBH3, also named as ABH3 and DE | vely, antigen ith citrate PC-1, is a dioxygenase that mediat). It has a strong preference for sing | le-stranded. ALKBH3 is requires molecular | |
| | TE buffer pH 9.0; (*) Alternation retrieval may be performed we buffer pH 6.0 ALKBH3, also named as ABH3 and DEL containing 1-methyladenosine (m1A oxygen, alpha-ketoglutarate and iror | vely, antigen ith citrate PC-1, is a dioxygenase that mediat). It has a strong preference for sing | le-stranded. ALKBH3 is requires molecular | |
| | TE buffer pH 9.0; (*) Alternative retrieval may be performed we buffer pH 6.0 ALKBH3, also named as ABH3 and DEI containing 1-methyladenosine (m1A oxygen, alpha-ketoglutarate and iror Author Pub | vely, antigen ith citrate PC-1, is a dioxygenase that mediat). It has a strong preference for sing 1. This gene has some isoforms with | le-stranded. ALKBH3 is requires molecular n MW 19-25 kDa and 33 kDa. Application | |
| Background Information Notable Publications | TE buffer pH 9.0; (*) Alternative retrieval may be performed we buffer pH 6.0ALKBH3, also named as ABH3 and DEI containing 1-methyladenosine (m1A oxygen, alpha-ketoglutarate and irorAuthorPub Qian WangQian Wang294 | vely, antigen ith citrate PC-1, is a dioxygenase that mediat). It has a strong preference for sing n. This gene has some isoforms with med ID Journal | le-stranded. ALKBH3 is requires molecular n MW 19-25 kDa and 33 kDa. Application | |
| | TE buffer pH 9.0; (*) Alternative retrieval may be performed we buffer pH 6.0ALKBH3, also named as ABH3 and DEL containing 1-methyladenosine (m 1A oxygen, alpha-ketoglutarate and irorAuthorPub Qian WangQian Wang294 Yuji WadaYuji Wada396 | Vely, antigen ith citrate PC-1, is a dioxygenase that mediat). It has a strong preference for sing n. This gene has some isoforms with med ID Journal 15318 J Gastroenterol He | le-stranded. ALKBH3 is requires molecular n MW 19-25 kDa and 33 kDa. Application patol WB,IHC | |
| Notable Publications | TE buffer pH 9.0; (*) Alternative retrieval may be performed we buffer pH 6.0 ALKBH3, also named as ABH3 and DEI containing 1-methyladenosine (m1A oxygen, alpha-ketoglutarate and iror Author Pub Qian Wang 294 Yuji Wada 396 Yongxia Chang 391 | Vely, antigen ith citrate PC-1, is a dioxygenase that mediat). It has a strong preference for sing h. This gene has some isoforms with med ID Journal 15318 J Gastroenterol He 33427 Virol J | le-stranded. ALKBH3 is requires molecular n MW 19-25 kDa and 33 kDa. Application patol WB,IHC WB | |
| Notable Publications | TE buffer pH 9.0; (*) Alternative retrieval may be performed we buffer pH 6.0 ALKBH3, also named as ABH3 and DEL containing 1-methyladenosine (m1A oxygen, alpha-ketoglutarate and iror Author Pub Qian Wang 294 Yuji Wada 396 Yongxia Chang 391 Storage: Storage: Storage Buffer: Storage Buffer: | vely, antigen ith citrate PC-1, is a dioxygenase that mediat). It has a strong preference for sing 1. This gene has some isoforms with med ID Journal 15318 J Gastroenterol He 33427 Virol J 75405 Clin Transl Med er shipment. | le-stranded. ALKBH3 is requires molecular n MW 19-25 kDa and 33 kDa. Application patol WB,IHC WB | |
| Notable Publications | TE buffer pH 9.0; (*) Alternative retrieval may be performed we buffer pH 6.0 ALKBH3, also named as ABH3 and DEL containing 1-methyladenosine (m1A oxygen, alpha-ketoglutarate and iror Author Pub Qian Wang 294 Yuji Wada 396 Yongxia Chang 391 Storage: Storage Buffer: PBS with 0.02% sodium azide and 50 | vely, antigen ith citrate PC-1, is a dioxygenase that mediat). It has a strong preference for sing n. This gene has some isoforms with med ID Journal 15318 J Gastroenterol He 33427 Virol J 75405 Clin Transl Med er shipment. % glycerol pH 7.3. | le-stranded. ALKBH3 is requires molecular n MW 19-25 kDa and 33 kDa. Application patol WB,IHC WB | |
| | TE buffer pH 9.0; (*) Alternative retrieval may be performed we buffer pH 6.0 ALKBH3, also named as ABH3 and DEL containing 1-methyladenosine (m1A oxygen, alpha-ketoglutarate and iror Author Pub Qian Wang 294 Yuji Wada 396 Yongxia Chang 391 Storage: Storage: Storage Buffer: Storage Buffer: | vely, antigen ith citrate PC-1, is a dioxygenase that mediat). It has a strong preference for sing n. This gene has some isoforms with med ID Journal 15318 J Gastroenterol He 33427 Virol J 75405 Clin Transl Med er shipment. % glycerol pH 7.3. | le-stranded. ALKBH3 is requires molecular n MW 19-25 kDa and 33 kDa. Application patol WB,IHC WB | |


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 12292-1-AP (ALKBH3 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human lung cancer using 12292-1-AP (ALKBH3 antibody) at dilution of 1:50 (under 40x lens).




Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 12292-1-AP (ALKBH3 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 12292-1-AP (ALKBH3 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 12292-1-AP (ALKBH3 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat stomach tissue slide using 12292-1-AP (ALKBH3 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse stomach tissue slide using 12292-1-AP (ALKBH3 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).