

For Research Use Only

RNGTT Polyclonal antibody

Catalog Number: 12430-1-AP

1 Publications



Basic Information

Catalog Number:

12430-1-AP

Size:

150ul, Concentration: 260 ug/ml by Nanodrop and 133 ug/ml by Bradford method using BSA as the standard;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG3105

GenBank Accession Number:

BC019954

GeneID (NCBI):

8732

UNIPROT ID:

O60942

Full Name:

RNA guanylyltransferase and 5'-phosphatase

Calculated MW:

597 aa, 69 kDa

Observed MW:

69 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:1000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

Applications

Tested Applications:

WB, IP, ELISA

Cited Applications:

WB

Species Specificity:

human, mouse, rat

Cited Species:

human

Positive Controls:

WB : human kidney tissue,

IP : mouse kidney tissue,

Background Information

RNGTT(mRNA-capping enzyme) is also named as HCAP1, HCE, CAP1A. In the N-terminal section it belongs to the non-receptor class of the protein-tyrosine phosphatase family and in the C-terminal section it belongs to the eukaryotic GTase family. It is a bifunctional 597-amino acid protein with RNA triphosphatase and RNA guanylyltransferase activities(PMID:9545288). It has 4 isoforms produced by alternative splicing.

Notable Publications

Author	Pubmed ID	Journal	Application
Daniel Blears	39504960	Mol Cell	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



human kidney tissue were subjected to SDS PAGE followed by western blot with 12430-1-AP (RNGTT antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.



IP result of anti-RNGTT (IP:12430-1-AP, 4ug; Detection:12430-1-AP 1:500) with mouse kidney tissue lysate 4000ug.