For Research Use Only

KPNA4 Polyclonal antibody

Catalog Number: 12463-1-AP

Featured Product

7 Publications



Basic Information

Catalog Number: GenBank Accession Number:

12463-1-AP BC034493
Size: GeneID (NCBI):
150ul , Concentration: 350 ug/ml by 3840

Nanodrop; UNIPROT ID:

Source: 000629 Rabbit Full Name:

Isotype: karyopherin alpha 4 (importin alpha

IgG :

Immunogen Catalog Number:Calculated MW:AG3133521 aa, 58 kDaObserved MW:

58 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB, CoIP

Species Specificity: human, mouse, rat

Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB: 1:1000-1:8000

IP: 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC: 1:200-1:1000 IF/ICC: 1:200-1:800

Positive Controls:

WB: A549 cells, NIH/3T3 cells, HeLa cells, Jurkat cells,

mouse testis tissue, rat testis tissue

IP: A549 cells,

IHC: human colon cancer tissue,

IF/ICC: A549 cells,

Background Information

KPNA4, also named importin subunit alpha-3, karyopherin-alpha4, is a cytoplasmic protein that recognizes nuclear localization signals (NLSs) and dock NLS-containing proteins to the nuclear pore complex. Nuclear import, mediated in part by karyopherin-a (KPNA)/importin-a subtypes, regulates transcription factor access to the genome and determines cell fate. KPNA4-mediated nuclear transport of Ras-responsive element-binding protein (RREB1), which sustains Ras/ERK pathway signaling through repressing miR-143/145 expression (PMID: 31822798). KPNA4 is one of the main isoforms that is activated in many human cancers. KPNA4 expression was elevated in head and neck of squamous cell carcinoma (PMID: 33188837).

Notable Publications

Author	Pubmed ID	Journal	Application
Zhengqiang Wang	27633066	Tumour Biol	WB
Anna Nakanishi	36366568	Viruses	WB
Yisha Zhuo	33141406	Virol Sin	WB,CoIP

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of KPNA 4 antibody (12463-1-AP; 1:8000; incubated at room temperature for 1.5 hours) with sh-Control and sh-KPNA4 transfected A549 cells.




IP result of anti-KPNA4 (IP:12463-1-AP, 4ug; Detection:12463-1-AP 1:600) with A549 cells lysate 2000ug.



Immunofluorescent analysis of (4% PFA) fixed A549 cells using KPNA4 antibody (12463-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Various lysates were subjected to SDS PAGE followed by western blot with 12463-1-AP (KPNA4 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human bowen disease slide using 12463-1-AP (KPNA4 antibody) at dilution of 1:800 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 12463-1-AP (KPNA4 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).