#### For Research Use Only

# RNF125 Polyclonal antibody

Catalog Number: 13290-1-AP

2 Publications



**Basic Information** 

Catalog Number: 13290-1-AP

GenBank Accession Number:

**Purification Method:** Antigen affinity purification

Size:

GeneID (NCBI):

150ul , Concentration: 800 µg/ml by

54941

BC012021

Recommended Dilutions: WB 1:500-1:1000

IHC 1:20-1:200

Nanodrop and 520 µg/ml by Bradford Full Name:

method using BSA as the standard; ring finger protein 125

Rabbit 232 aa, 26 kDa Isotype:

Observed MW:

Immunogen Catalog Number:

Calculated MW:

22-26 kDa

AG3908

IgG

**Applications** 

**Tested Applications:** 

IHC, WB, ELISA

**Cited Applications:** 

IHC, WB

Species Specificity:

human, mouse, rat

**Cited Species:** 

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Positive Controls:** 

WB: mouse spleen tissue, A2780 cells

IHC: human lymphoma tissue,

## **Background Information**

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Xianghui Kong	36662617	Cell Rep	WB
Zhigang Feng	37142680	Oncogene	WB,IHC

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


### Selected Validation Data



mouse spleen tissue were subjected to SDS PAGE followed by western blot with 13290-1-AP (RNF125 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lymphoma tissue slide using 13290-1-AP (RNF125 Antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human lymphoma tissue slide using 13290-1-AP (RNF125 Antibody) at dilution of 1:50 (under 40x lens).