

For Research Use Only

MED19 Polyclonal antibody

Catalog Number: 13418-1-AP

Featured Product

4 Publications



Basic Information

Catalog Number:

13418-1-AP

Size:

150ul, Concentration: 650 ug/ml by Nanodrop and 480 ug/ml by Bradford method using BSA as the standard;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG4165

GenBank Accession Number:

BC037223

GeneID (NCBI):

219541

UNIPROT ID:

A0JLT2

Full Name:

mediator complex subunit 19

Calculated MW:

194 aa, 20 kDa

Observed MW:

31 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:200-1:1000

IHC 1:20-1:200

Applications

Tested Applications:

WB, IHC, ELISA

Cited Applications:

WB, IHC

Species Specificity:

human, mouse, rat

Cited Species:

human, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : human testis tissue,

IHC : human testis tissue,

Background Information

Mediator of RNA polymerase II transcription subunit 19 (MED19) is a component of the Mediator complex, which is a coactivator for DNA-binding factors that activate transcription via RNA polymerase II (PMID: 12584197). Mediator complex is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional pre-initiation complex with RNA polymerase II and the general transcription factors (PMID: 15175163). MED19 may be a novel proliferation regulator that promotes lung cancer and gastric cancer progression and cellular growth (PMID: 21519921, PMID: 22565189).

Notable Publications

Author	Pubmed ID	Journal	Application
Beibei Liu	30161287	J Cell Biochem	WB
Zhenning Wang	39603240	Mol Cell	
Haopeng Wang	38371458	Int J Nanomedicine	IHC, WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



human testis tissue were subjected to SDS PAGE followed by western blot with 13418-1-AP (MED19 antibody) at dilution of 1:100 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human testis tissue slide using 13418-1-AP (MED19 Antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffin-embedded human testis tissue slide using 13418-1-AP (MED19 Antibody) at dilution of 1:50 (under 40x lens).