For Research Use Only

ACTL7B Polyclonal antibody

Catalog Number: 13537-1-AP 2 Publications



Basic Information

Catalog Number: 13537-1-AP

Size:

Nanodrop:

Isotype:

GenBank Accession Number:

BC033789

GeneID (NCBI):

150ul , Concentration: 300 ug/ml by

10880

actin-like 7B

UNIPROT ID:

Q9Y614 Rabbit Full Name:

IgG Calculated MW: Immunogen Catalog Number: 415 aa, 45 kDa

AG4460 Observed MW:

45 kDa

Tested Applications: WB, IHC, ELISA

Cited Applications:

WB

Species Specificity: human, mouse, rat

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Antigen affinity purification Recommended Dilutions:

WB 1:500-1:3000 IHC 1:20-1:200

Purification Method:

Applications

Positive Controls:

WB: human testis tissue, human liver tissue, mouse

testis tissue

IHC: human prostate cancer tissue,

Background Information

ACTL7B is also named as actin-like-7-beta. The protein encoded by this gene is a member of a family of actinrelated proteins (ARPs) which share significant amino acid sequence identity to conventional actins. The ARPs are involved in diverse cellular processes, including vesicular transport, spindle orientation, nuclear migration and chromatin remodeling. The ACTL7B gene is expressed predominantly in the testis, however, its exact function is not $known.\ Diseases\ associated\ with\ ACTL7B\ include\ Dysautonomia\ and\ Hypertensive\ Nephropathy.\ An\ important$ paralog of this gene is ACTL7A. ACTL7B can be detected as 45 kDa.

Notable Publications

Author	Pubmed ID	Journal	Application
Gina E Merges	37800308	Development	WB
Brian P Hermann	30404016	Cell Rep	

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data



human testis tissue were subjected to SDS PAGE followed by western blot with 13537-1-AP (ACTL7B antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human prostate cancer using 13537-1-AP (ACTL7B antibody) at dilution of 1:100 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human prostate cancer using 13537-1-AP (ACTL7B antibody) at dilution of 1:100 (under 40x lens).