For Research Use Only

CRMP4 Polyclonal antibody

Catalog Number:13661-1-AP

Featured Product 5 Publications




Basic Information	Catalog Number: 13661-1-AP	GenBank Accession Number: BC039006	Purification Method: Antigen affinity purification
	Size:	GeneID (NCBI):	Recommended Dilutions:
	150ul , Concentration: 350 ug/ml by	1809	WB 1:1000-1:5000
	Nanodrop and 233 ug/ml by Bradford method using BSA as the standard;	UNIT KUTTD.	IHC 1:300-1:1200
	Source:	Q14195	
	Rabbit	Full Name: dihydropyrimidinase-like 3	
	Isotype:	Calculated MW:	
	IgG	570 aa, 62 kDa	
	Immunogen Catalog Number: AG4557	Observed MW: 60-70 kDa	
Applications	Tested Applications:	Positive Controls:	
	WB, IHC, ELISA Cited Applications:	WB : mouse brain tissue, rat brain tissue	
	WB, IHC, IF	IHC : hum	an colon tissue, human heart tissue
	Species Specificity: human, mouse, rat		
	Cited Species: human, mouse, rat		
	Note-IHC: suggested antigen r TE buffer pH 9.0; (*) Alternativ retrieval may be performed w	vely, antigen	
	buffer pH 6.0		
Background Information	DPYSL3(Dihydropyrimidinase-related hydantoinase/dihydropyrimidinase in early embryonic post-mitotic neura adult brain, DPYSL3 is present mainly	ubfamily.DPYSL3 is a developmer al cells, reaching a peak of express r in regions that retain neurogenes tion where it may be involved in tl	4, DRP3, ULIP, ULIP1 and belongs to the tally regulated protein, strongly expresse ion around the first post-natal week. In the is.DPYSL3 protein is also found in synaptic ne maintenance of neuronal stability(PMII
	DPYSL3(Dihydropyrimidinase-related hydantoinase/dihydropyrimidinase s in early embryonic post-mitotic neura adult brain, DPYSL3 is present mainly sites at the adult neuromuscular junc 16135096).It has 2 isoforms produced	ubfamily.DPYSL3 is a developmer al cells, reaching a peak of express r in regions that retain neurogenes tion where it may be involved in tl	ntally regulated protein, strongly expresse ion around the first post-natal week. In the is.DPYSL3 protein is also found in synaptic ne maintenance of neuronal stability(PMIC
	DPYSL3(Dihydropyrimidinase-related hydantoinase/dihydropyrimidinase s in early embryonic post-mitotic neura adult brain, DPYSL3 is present mainly sites at the adult neuromuscular junc 16135096).It has 2 isoforms produced Author Pubr	ubfamily.DPYSL3 is a developmer al cells, reaching a peak of express / in regions that retain neurogenes tion where it may be involved in th I by alternative splicing.	ntally regulated protein, strongly expresse ion around the first post-natal week. In the is.DPYSL3 protein is also found in synaptic ne maintenance of neuronal stability(PMIC Application
Background Information	DPYSL3(Dihydropyrimidinase-related hydantoinase/dihydropyrimidinases in early embryonic post-mitotic neura adult brain, DPYSL3 is present mainly sites at the adult neuromuscular junc 16135096).It has 2 isoforms produced Author Pubr Yung-Shuen Lin 3123	ubfamily.DPYSL3 is a developmer al cells, reaching a peak of express in regions that retain neurogenes tion where it may be involved in the by alternative splicing.	ntally regulated protein, strongly expresse ion around the first post-natal week. In the is.DPYSL3 protein is also found in synaptic ne maintenance of neuronal stability(PMIC Application
	DPYSL3(Dihydropyrimidinase-related hydantoinase/dihydropyrimidinase s in early embryonic post-mitotic neura adult brain, DPYSL3 is present mainly sites at the adult neuromuscular junc 16135096).It has 2 isoforms produced Author Pubr Yung-Shuen Lin 3123 Yu-Fen Lin 3363	subfamily.DPYSL3 is a developmer al cells, reaching a peak of express r in regions that retain neurogenes tion where it may be involved in th by alternative splicing. ned ID Journal 53825 Neuropharmacolog	ntally regulated protein, strongly expresse ion around the first post-natal week. In the is.DPYSL3 protein is also found in synaptic me maintenance of neuronal stability(PMIC Application y WB
	DPYSL3(Dihydropyrimidinase-related hydantoinase/dihydropyrimidinase s in early embryonic post-mitotic neura adult brain, DPYSL3 is present mainly sites at the adult neuromuscular junc 16135096).It has 2 isoforms produced Author Pubr Yung-Shuen Lin 3123 Yu-Fen Lin 3363	subfamily.DPYSL3 is a developmer al cells, reaching a peak of express r in regions that retain neurogeness tion where it may be involved in the by alternative splicing. ned ID Journal 3825 Neuropharmacolog 38112 Mol Neurobiol 31723 Cancer Biol Ther er shipment. % glycerol pH 7.3.	ntally regulated protein, strongly expressed ion around the first post-natal week. In the is.DPYSL3 protein is also found in synaptic me maintenance of neuronal stability(PMII Application y WB WB

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunohistochemical analysis of paraffinembedded human normal colon slide using 13661-1-AP (CRMP4 antibody) at dilution of 1:600 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Various lysates were subjected to SDS PAGE followed by western blot with 13661-1-AP (CRMP4 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.