For Research Use Only

VPS41 Polyclonal antibody Catalog Number:13869-1-AP Featured Product

Featured Product 6 Publications




Basic Information	Catalog Number: 13869-1-AP	GenBank Accession Number: BC044851	Purification Method: Antigen affinity purification		
	Size: 150ul, Concentration: 450 ug/ml by Nanodrop and 313 ug/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 27072	Recommended Dilutions: WB 1:500-1:1000 IHC 1:50-1:500		
				UNIPROT ID: P49754	INC 1.50-1.500
		Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG4760	Full Name: vacuolar protein sorting 41 homolog (S. cerevisiae) Calculated MW:		
	854 aa, 98 kDa				
	Observed MW: 94-100 kDa				
	Applications		Tested Applications:	WB, IHC, ELISA WB : RAW 264.7 cells, HepG2 cells, human brain tissue	
		WB, ColP	IHC : human liver tissue,		
Species Specificity: human, mouse					
Cited Species: human					
Note-IHC: suggested antigen r TE buffer pH 9.0; (*) Alternativ retrieval may be performed w buffer pH 6.0		vely, antigen			
	Vesicle mediated protein sorting plays an important role in segregation of intracellular molecules into distinct organelles. VPS41 (vacuolar protein sorting 41) is the human ortholog of yeast Vps41 protein. Yeast Vps41 is a subunit of AP3 (heterotetrameric adaptor protein complex 3) and HOP5 (homotypic fusion and protein transport) complexes and is involved in trafficking of proteins from the late Golgi to the vacuole. In mammalian cells, Vps41 was found to be a member of HOPS complex, mediating the trafficking of proteins to lysosomes (PMID: 23173123). I has been reported that human VPS41 has a HOPS-independent function in the LAMP carrier pathway and also participates in lysosomal maturation, probably as part of the HOPS complex (PMID: 23322049).				
Background Information	organelles. VPS41 (vacuolar protein subunit of AP3 (heterotetrameric ada complexes and is involved in traffick was found to be a member of HOPS c has been reported that human VPS41	sorting 41) is the human ortholog of y ptor protein complex 3) and HOPS (h ing of proteins from the late Golgi to omplex, mediating the trafficking of has a HOPS-independent function ir	yeast Vps41 protein. Yeast Vps41 is a nomotypic fusion and protein transport) o the vacuole. In mammalian cells, Vps41 proteins to lysosomes (PMID: 23173123). n the LAMP carrier pathway and also		
Background Information	organelles. VPS41 (vacuolar protein subunit of AP3 (heterotetrameric ada complexes and is involved in traffick was found to be a member of HOPS of has been reported that human VPS41 participates in lysosomal maturation	sorting 41) is the human ortholog of y ptor protein complex 3) and HOPS (h ing of proteins from the late Golgi to omplex, mediating the trafficking of has a HOPS-independent function ir	yeast Vps41 protein. Yeast Vps41 is a nomotypic fusion and protein transport) o the vacuole. In mammalian cells, Vps41 proteins to lysosomes (PMID: 23173123). the LAMP carrier pathway and also lex (PMID: 23322049).		
	organelles. VPS41 (vacuolar protein subunit of AP3 (heterotetrameric ada complexes and is involved in traffick was found to be a member of HOPS chas been reported that human VPS41 participates in lysosomal maturation	sorting 41) is the human ortholog of y ptor protein complex 3) and HOPS (h ing of proteins from the late Golgi to omplex, mediating the trafficking of has a HOPS-independent function ir , probably as part of the HOPS comp	yeast Vps41 protein. Yeast Vps41 is a nomotypic fusion and protein transport) o the vacuole. In mammalian cells, Vps41 proteins to lysosomes (PMID: 23173123). n the LAMP carrier pathway and also		
	organelles. VPS41 (vacuolar protein subunit of AP3 (heterotetrameric ada complexes and is involved in traffick was found to be a member of HOPS chas been reported that human VPS41 participates in lysosomal maturation Author Pu Magdalena Banach-Orłowska 30	borting 41) is the human ortholog of y ptor protein complex 3) and HOPS (h ing of proteins from the late Golgi to omplex, mediating the trafficking of has a HOPS-independent function in the probably as part of the HOPS comp bmed ID Journal	yeast Vps41 protein. Yeast Vps41 is a nomotypic fusion and protein transport) the vacuole. In mammalian cells, Vps41 proteins to lysosomes (PMID: 23173123). In the LAMP carrier pathway and also lex (PMID: 23322049). Application		
	organelles. VPS41 (vacuolar protein subunit of AP3 (heterotetrameric ada complexes and is involved in traffick was found to be a member of HOPS chas been reported that human VPS41 participates in lysosomal maturation Author Put Magdalena Banach-Ortowska 300 Rik van der Kant 26	sorting 41) is the human ortholog of y ptor protein complex 3) and HOPS (h ing of proteins from the late Golgi to omplex, mediating the trafficking of has a HOPS-independent function ir , probably as part of the HOPS comp bmed ID Journal 333141 J Cell Sci	yeast Vps41 protein. Yeast Vps41 is a nomotypic fusion and protein transport) the vacuole. In mammalian cells, Vps41 proteins to lysosomes (PMID: 23173123) in the LAMP carrier pathway and also lex (PMID: 23322049). Application WB		
Notable Publications	organelles. VPS41 (vacuolar protein subunit of AP3 (heterotetrameric ada complexes and is involved in traffick was found to be a member of HOPS chas been reported that human VPS41 participates in lysosomal maturation Author Put Magdalena Banach-Ortowska 300 Rik van der Kant 266 Guangyan Miao 333 Storage: Storage Storage Buffer:	sorting 41) is the human ortholog of y ptor protein complex 3) and HOPS (h ing of proteins from the late Golgi to omplex, mediating the trafficking of has a HOPS-independent function in probably as part of the HOPS comp bmed ID Journal 333141 J Cell Sci 463206 J Biol Chem 422265 Dev Cell	yeast Vps41 protein. Yeast Vps41 is a nomotypic fusion and protein transport) the vacuole. In mammalian cells, Vps41 proteins to lysosomes (PMID: 23173123) the LAMP carrier pathway and also lex (PMID: 23322049). Application WB WB		
	organelles. VPS41 (vacuolar protein subunit of AP3 (heterotetrameric ada complexes and is involved in traffick was found to be a member of HOPS chas been reported that human VPS41 participates in lysosomal maturation Author Put Magdalena Banach-Ortowska 300 Rik van der Kant 26 Guangyan Miao 33 Storage: Storage: Store at -20°C. Stable for one year after	sorting 41) is the human ortholog of y ptor protein complex 3) and HOPS (H ing of proteins from the late Golgi to omplex, mediating the trafficking of has a HOPS-independent function in probably as part of the HOPS comp bmed ID Journal 333141 J Cell Sci 463206 J Biol Chem 422265 Dev Cell er shipment. % glycerol pH 7.3.	yeast Vps41 protein. Yeast Vps41 is a nomotypic fusion and protein transport) the vacuole. In mammalian cells, Vps41 proteins to lysosomes (PMID: 23173123) the LAMP carrier pathway and also lex (PMID: 23322049). Application WB WB		


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com


Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





RAW 264.7 cells were subjected to SDS PAGE followed by western blot with 13869-1-AP (VPS41 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human liver tissue slide using 13869-1-AP (VPS41 Antibody) at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 13869-1-AP (VPS41 Antibody) at dilution of 1:200 (under 40x lens).