### For Research Use Only

# NKX2-5 Polyclonal antibody

Catalog Number: 13921-1-AP

Featured Product

13 Publications



**Purification Method:** 

WB 1:500-1:3000

IHC 1:50-1:500

IF-P 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

**Basic Information** 

Catalog Number: GenBank Accession Number:

13921-1-AP BC025711
Size: GeneID (NCBI):

Nanodrop; UNIPROT ID:
Source: P52952

Rabbit Full Name:

150ul, Concentration: 500 ug/ml by 1482

Isotype: NK2 transcription factor related, locus
IgG 5 (Drosophila)

IgG 5 (Drosophila)
Immunogen Catalog Number: Calculated MW:
AG4930 324 aa, 35 kDa
Observed MW:

30-42 kda

**Applications** 

Tested Applications: WB, IHC, IF-P, ELISA

Cited Applications:

WB, IF

Species Specificity: human, mouse Cited Species: human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: human heart tissue,

IHC: human brain tissue, mouse heart tissue

IF-P: mouse embryo tissue,

## **Background Information**

Homeobox-containing genes play critical roles in regulating tissue-specific gene expression essential for tissue differentiation, as well as determining the temporal and spatial patterns of development [PMID: 7665173]. NKX2-5 encoded by homeobox-containing genes that implicated in commitment to and/or differentiation of the myocardial lineage, and acts as a transcriptional activator of ANF in cooperation with GATA4. During embryonic development, NKX2-5 plays pivotal roles in specifying cardiac progenitors, cardiac morphogenesis, cardiomyocyte differentiation and conduction system development [PMID: 22824467].

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Heng Zhang	36199421	Oxid Med Cell Longev	WB
Junwei Nie	26489465	Cell Rep	WB
Guangrui Lai	33035436	Am J Physiol Heart Circ Physiol	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## **Selected Validation Data**




human heart tissue were subjected to SDS PAGE followed by western blot with 13921-1-AP (NKX2-5 antibody) at dilution of 1:1200 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human brain using 13921-1-AP (NKX2-5 antibody) at dilution of 1:100 (under 40x lens).



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 13921-1-AP (NKX2-5 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 13921-1-AP (NKX2-5 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse embryo tissue using NKX2-5 antibody (13921-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L).