

For Research Use Only

ZNF354A Polyclonal antibody

Catalog Number: 14072-1-AP



Basic Information

Catalog Number: 14072-1-AP	GenBank Accession Number: BC047105	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 260 µg/ml by Nanodrop and 133 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 6940	Recommended Dilutions: WB 1:500-1:2000
Source: Rabbit	Full Name: zinc finger protein 354A	
Isotype: IgG	Calculated MW: 69 kDa	
Immunogen Catalog Number: AG5142	Observed MW: 69 kDa	

Applications

Tested Applications: WB,ELISA	Positive Controls: WB : DU 145 cells,
Species Specificity: human, mouse, rat	

Background Information

ZNF354A, also called EZNF, KID-1 or TCF17, belongs to the Kruppel C2H2-type zinc-finger family of proteins that contain KRAB domains and act as transcriptional regulators. Expressed primarily in the adult kidney, ZNF354A is a transcriptional repressor that plays a role in late renal development and is suppressed after renal ischemia. The N-terminus of ZNF354A contains the KRAB domain which confers transcriptional repressor activity, while the C-terminus contains multiple Cys2His2-zinc fingers. ZNF354A is located in the nucleolus and is thought to specifically influence development of the proximal tubule by shutting off dispensable or inhibitory genes. Reduced ZNF354A expression prevents proper cell differentiation and may, therefore, be implicated in renal carcinoma.

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



DU 145 cells were subjected to SDS PAGE followed by western blot with 14072-1-AP (ZNF354A antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.