#### For Research Use Only

# NMUR1 Polyclonal antibody

Catalog Number: 14619-1-AP



**Basic Information** 

Catalog Number: GenBank Accession Number:

14619-1-AP BC036543 GeneID (NCBI): Size:

150ul , Concentration: 160 ug/ml by 10316 Nanodrop and 133 ug/ml by Bradford  $\,$  UNIPROT ID: method using BSA as the standard; Q9HB89 Source: Full Name:

Rabbit neuromedin U receptor 1

Isotype: Calculated MW: 47 kDa Immunogen Catalog Number: Observed MW: AG6235 47 kDa

**Purification Method:** Antigen affinity purification Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500

**Applications** 

**Tested Applications:** WB, IHC, ELISA

Species Specificity: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

#### Positive Controls:

WB: human colon tissue, human stomach tissue, mouse pancreas tissue

IHC: mouse brain tissue, human colon tissue, human

testis tissue

#### **Background Information**

Neuromedin-U (NMU) is a widely expressed peptide with the highest abundance in the central nervous system (CNS) and intestinal tract of nearly all vertebrate species. NMU mediates several physiological functions via its two cognate receptors, NMUR1 and NMUR2 (PMID:37102164). NMUR1(NmU receptor 1) has the highest expression in peripheral tissues, particularly the GI tract, pancreas, uterus, and testes but has also been reported in peripheral nerve terminals (PMID:10783389).

### Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


in USA), or 1(312) 455-8498 (outside USA)

W: ptglab.com


## Selected Validation Data



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 14619-1-AP (NMUR1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



human colon tissue were subjected to SDS PAGE followed by western blot with 14619-1-AP (MMUR1 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 14619-1-AP (NMUR1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).