For Research Use Only

USP36 Polyclonal antibody

Catalog Number: 14783-1-AP

Featured Product

18 Publications



Basic Information

Catalog Number: GenBank Accession Number:

14783-1-AP BC038983 GeneID (NCBI): Size:

150ul , Concentration: 450 ug/ml by 57602

Nanodrop: **UNIPROT ID:** Q9P275 Rabbit Full Name:

Isotype: ubiquitin specific peptidase 36

IgG Calculated MW: Immunogen Catalog Number: 1123 aa, 123 kDa AG6411 Observed MW:

100-150 kDa

Applications

Tested Applications:

WB, IF/ICC, IP, ELISA

Cited Applications: WB, IHC, IF, IP, CoIP Species Specificity:

human **Cited Species:** human, mouse Antigen affinity purification Recommended Dilutions: WB 1:500-1:1000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IF/ICC 1:200-1:800

WB: Jurkat cells, HeLa cells, HepG2 cells

Purification Method:

Background Information

USP36(Ubiquitin carboxyl-terminal hydrolase 36) is also named as KIAA1453, FLJ12851, DUB1 and belongs to the peptidase C19 family. It regulates the transcription and processing of rRNA by deubiquitylating various proteins involved in these processes, and the aberrant nucleolar structure in its absence is secondary to deficient ribosome biogenesis. USP36 plays a crucial role in regulating the structure and function of nucleoli.(PMID:19208757). The ubiquitin-specific protease that is required in germline, epithelial, and intestinal stem cells(PMID:19039105). It has 2 isoforms produced by alternative splicing.

Positive Controls:

IP: Jurkat cells.

IF/ICC: U2OS cells,

Notable Publications

Author	Pubmed ID	Journal	Application
Tao Wang	36151083	Nat Commun	IF
Mingzhe Zheng	36434180	Oncogene	WB,IHC,IF
Yuanliang Yan	33237263	Nucleic Acids Res	WB,IF,IP

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


*** 20ul sizes contain 0.1% BSA

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Jurkat cells were subjected to SDS PAGE followed by western blot with 14783-1-AP (USP36 antibody) at dilution of 1:200 incubated at room temperature for 1.5 hours.



IP result of anti-USP36 (IP:14783-1-AP, 4ug; Detection:14783-1-AP 1:1000) with Jurkat cells lysate 1400 ug.



Immunofluorescent analysis of (4% PFA) fixed U2OS cells using USP36 antibody (14783-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).