For Research Use Only

## THOC5 Polyclonal antibody

Catalog Number:14862-1-AP

Featured Product 1 Publications




| Basic Information      | Catalog Number:<br>14862-1-AP  | GenBank Accession Number:<br>BC003615  |                    | Purification Method:<br>Antigen affinity purification  |  |
|------------------------|--|--|--------------------|--|--|
|                        | Size:<br>150ul, Concentration: 550 ug/ml by<br>Nanodrop;<br>Source:<br>Rabbit<br>Isotype:<br>IgG<br>Immunogen Catalog Number:<br>AG6664  | GeneID (NCBI):<br>8563<br>UNIPROT ID:<br>Q13769<br>Full Name:<br>THO complex 5<br>Calculated MW:<br>79 kDa |                    | Recommended Dilutions:<br>WB 1:3000-1:8000<br>IP 0.5-4.0 ug for 1.0-3.0 mg of total<br>protein lysate<br>IHC 1:500-1:2000<br>IF/ICC 1:50-1:500 |  |
|                        |  | Observed MW:<br>79 kDa   |                    |  |  |
| Applications           | Tested Applications:<br>WB, IHC, IF/ICC, IP, ELISA   |  | Positive Controls: |  |  |
|                        | Species Specificity:   |  |                    | : HEK-293 cells, HeLa cells, NIH/3T3 cells   |  |
|                        | human, mouse, rat  |  | IP : HEK-29        |  |  |
|                        | Cited Species:<br>mouse  | tissue   |                    | an breast cancer tissue, human lung cancer   |  |
|                        | Note-IHC: suggested antigen retrieval with<br>TE buffer pH 9.0; (*) Alternatively, antigen<br>retrieval may be performed with citrate<br>buffer pH 6.0   |  |                    |  |  |
| Background Information | THOC5, also named as C22orf19, or KIAA0983, is a 683 amino acid protein, which belongs to the THOC5 family.<br>THOC5 is ubiquitously expressed in many tissues. THOC5 localizes in the nucleus and acts as component of the THO<br>subcomplex of the TREX complex which is thought to couple mRNA transcription, processing and nuclear export, and<br>which specifically associates with spliced mRNA and not with unspliced pre-mRNA.THOC5 plays a role in cytokine-<br>stimulated monocytic development and affects granulocyte/macrophage differentiation. |  |                    |  |  |
| Notable Publications   | Author Put   | omed ID 3  | Iournal            | Application  |  |
|                        | Wang Li L 243  | 315442 (   | Cell Stem Cell     |  |  |
| Storage                | Storage:<br>Store at -20°C. Stable for one year aft<br>Storage Buffer:   | ter shipment.  |                    |  |  |
|                        | PBS with 0.02% sodium azide and 50   | )% glycerol pH 7.3   | •                  |  |  |


For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 14862-1-AP (THOC5 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.




IP result of anti-THOC5 (IP:14862-1-AP, 4ug; Detection:14862-1-AP 1:5000) with HEK-293 cells lysate 920 ug.




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 14862-1-AP (THOC5 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 14862-1-AP (THOC5 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 14862-1-AP (THOC5 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using THOC5 antibody (14862-1-AP) at dilution of 1:200 and Multi-rAb Coralite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002), CL594-Phalloidin (red).