For Research Use Only

PHF17 Polyclonal antibody

Catalog Number:15032-1-AP 6 Publications




Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** 15032-1-AP BC032376 Antigen affinity purification GenelD (NCBI): Recommended Dilutions: Size: 150ul , Concentration: 333 ug/ml by 79960 WB 1:500-1:1000 Nanodrop: UNIPROT ID: Source: Q6|E81 Rabbit Full Name: Isotype: PHD finger protein 17 lgG Calculated MW: Immunogen Catalog Number: 96 kDa AG4290 Observed MW: 58-61 kDa, 94-96 kDa Positive Controls: **Applications Tested Applications:** WB, ELISA WB: HeLa cells, HEK-293 cells **Cited Applications:** WB, IHC, IP, CoIP **Species Specificity:** human **Cited Species:** human, mouse PHF17 was identified as a protein partner of the von Hippel-Lindau tumor suppressor pVHL It is one component of **Background Information** the HBO1 complex which has a histone H4-specific acetyltransferase activity, a reduced activity toward histone H3 and is responsible for the bulk of histone H4 acetvlation in vivo. It can act as a transcriptional coactivator that promote acetylation of nucleosomal histone H4 by KAT5. In addition, it ubiquitinates both phosphorylated and nonphosphorylated β -catenin and therefore regulates canonical Wnt signaling in both Wnt-off and Wnt-on phases. PHF17 exist several isoforms with molecular weight 100-110 and 55-65 kDa. **Notable Publications** Author Pubmed ID Journal Application Kurt Farrell 34719765 Acta Neuropathol WB,IHC,IP Lori Borgal Cell Cycle WB 26919559 Lori Borgal 25100726 J Biol Chem WB, IP **Storage** Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage *** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



HeLa cells were subjected to SDS PAGE followed by western blot with 15032-1-AP (PHF17 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.