For Research Use Only

VAPA Polyclonal antibody

Catalog Number:15275-1-AP

Featured Product






Basic Information	Catalog Number: 15275-1-AP	GenBank Accession Number: BC002992		Purification Method: Antigen affinity purification	
	Size: 150ul , Concentration: 600 ug/ml by Nanodrop;	9218 WB 1:200 UNIPROT ID: IP 0.5-4.0 Q9P0L0 protein l Full Name: IHC 1:50			
	Source: Rabbit Isotype: IgG				
					Immunogen Catalog Number: AG7393
	Applications			Tested Applications: WB, IHC, IF/ICC, IP, ELISA	Positive Con
Cited Applications:www.nepWB, IHC, IF, CoIPtissue, mSpecies Specificity:liver tisshuman, mouse, ratIP : HEK-2Cited Species:IHC : hum		muscle tissue,	WB : HepG2 cells, HEK-293 cells, mouse skeletal muscle tissue, human kidney tissue, human brain tissue, mouse kidney tissue, mouse liver tissue, rat liver tissue		
		IP : HEK-293 ce	ells, olon cancer tissue, mouse heart tissue		
			nan liver cancer tissue		
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			2 cells, HEK-293 cells		
Background Information	VAPA (Vesicle-associated membran expressed integral membrane protei membrane and in intracellular vesic	n of the VAMP-as	sociated protein (VAP) family. It is present in the plasma	
Notable Publications	Author Pu	bmed ID	Journal	Application	
	Qiaoxia Zheng 36	198318	Cell	WB,CoIP	
	Norihiro Kotani 36	152751	J Biol Chem	WB,IF	
	Yan G Zhao 28	890335	Mol Cell	COIP	
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3.				
	Aliquoting is unnecessary for -20 $^{\circ}$ C	storage			
*** 20ul sizes contain 0.1% BSA					


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




HepG2 cells were subjected to SDS PAGE followed by western blot with 15275-1-AP (VAPA antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 15275-1-AP (VAPA antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 15275-1-AP (VAPA antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-VAPA (IP:15275-1-AP, 3ug; Detection:15275-1-AP 1:1000) with HEK-293 cells lysate 3200ug.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using VAPA antibody (15275-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using VAPA antibody (15275-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-phalloidin (red).