For Research Use Only

UBA2 Polyclonal antibody

Catalog Number: 15347-1-AP

Featured Product

1 Publications



Basic Information

Catalog Number:

GenBank Accession Number:

Antigen affinity purification

Purification Method:

15347-1-AP Size:

GeneID (NCBI):

BC003153

Recommended Dilutions:

150ul, Concentration: 500 ug/ml by Nanodrop and 267 ug/ml by Bradford UNIPROT ID:

10054

IP 0.5-4.0 ug for 1.0-3.0 mg of total

method using BSA as the standard;

Q9UBT2 Full Name: protein lysate

Source: Rabbit

ubiquitin-like modifier activating

IHC 1:300-1:1200 IF/ICC 1:50-1:500

WB 1:1000-1:6000

Isotype: IgG

enzvme 2 Calculated MW:

Immunogen Catalog Number: AG7586

71 kDa

Observed MW:

90 kDa

Pubmed ID

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

human, mouse **Cited Species:**

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Author

Positive Controls:

WB: A549 cells, human brain tissue, Jurkat cells, HeLa

cells, K-562 cells

IP: Jurkat cells.

IF/ICC: HeLa cells,

IHC: human breast cancer tissue,

Notable Publications

Jing Huang 33110216 Journal Cell Death Differ Application WB,IF,IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage *** 20ul sizes contain 0.1% BSA


Selected Validation Data



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 15347-1-AP (UBA2 antibody) at dilution of 1:600 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 15347-1-AP (UBA2 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



IP result of anti-UBA2 (IP:15347-1-AP, 4ug; Detection:15347-1-AP 1:500) with Jurkat cells lysate 3200ug.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using 15347-1-AP (UBA2 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).