For Research Use Only

PRMT6 Polyclonal antibody

Catalog Number: 15395-1-AP

Featured Product

13 Publications



Basic Information

Catalog Number: GenBank Accession Number:

15395-1-AP BC002729 GeneID (NCBI): Size:

150ul , Concentration: 550 ug/ml by 55170

Nanodrop and 267 ug/ml by Bradford $\,$ UNIPROT ID:

method using BSA as the standard;

Q96LA8 Source: Full Name:

Rabbit protein arginine methyltransferase 6

42 kDa

Isotype Calculated MW: IgG 42 kDa Immunogen Catalog Number: Observed MW:

Purification Method: Antigen affinity purification Recommended Dilutions:

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500 IF/ICC 1:300-1:1200

WB 1:2000-1:10000

Applications

Tested Applications:

WB, IHC, IF/ICC, FC (Intra), IP, ELISA

Cited Applications: WB, IHC, IF

Species Specificity: human, mouse

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, mouse brain tissue, HeLa cells,

MCF-7 cells

IP: HEK-293 cells,

IHC: human prostate cancer tissue, human kidney tissue, human breast cancer tissue, human testis tissue

IF/ICC: MCF-7 cells,

Background Information

PRMT6 belongs to the protein arginine methyltransferase (PRMT) family that catalyzes the mono- and dimethylation of arginine residues in a variety of proteins. PRMT6 is a nuclear protein and is predominantly expressed in testis and kidney. Western blot analysis using this antibody detected a major band around 42 kDa in HeLa cells.

Notable Publications

Author	Pubmed ID	Journal	Application
Wei-Wei Yan	30420520	EMBO Rep	WB
Muyu Xu	29791506	PLoS Pathog	WB
Qi Feng	32535103	Biochem Pharmacol	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 15395-1-AP (PRMT6 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 15395-1-AP (PRMT6 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 15395-1-AP (PRMT6 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-PRMT6 (IP:15395-1-AP, 4ug; Detection:15395-1-AP 1:1500) with HEK-293 cells lysate 2400ug.



Immunofluorescent analysis of (4% PFA) fixed MCF-7 cells using PRMT6 antibody (15395-1-AP) at dilution of 1:600 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).



1x10^6 MCF-7 cells were intracellularly stained with 0.4 ug PRMT6 Polyclonal antibody (15395-1-AP) and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2)(red), or 0.4 ug Rabbit IgG control Rabbit PolyAb (3000-0-AP) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).