For Research Use Only

Flotillin 1 Polyclonal antibody

Catalog Number: 15571-1-AP

Featured Product

52 Publications



Basic Information

Catalog Number:

15571-1-AP

GenBank Accession Number:

BC001146

Size: Genel E

GeneID (NCBI):

150ul, Concentration: 500 ug/ml by 10211 Nanodrop:

UNIPROT ID:

Source: O75955
Rabbit Full Name:

Isotype: flotillin 1
IgG Calculated MW:

Immunogen Catalog Number: 47 kDa

AG7902 Observed MW:

47 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB: 1:2000-1:10000

IP: 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC: 1:200-1:800 IF/ICC: 1:500-1:2000

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB, IHC, IF, IP, CoIP

Species Specificity: human, mouse, rat

Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: mouse brain tissue, U-251 cells, mouse heart tissue, rat brain tissue, rat heart tissue, U-87 MG cells

IP: mouse brain tissue,

IHC: human stomach tissue,

IF/ICC: HeLa cells,

Background Information

Flotillins are membrane-associated proteins that contain two homologous isoforms, flotillin 1 (FLOT1) and flotillin 2 (FLOT2). They are highly conserved and widely expressed proteins commonly used as lipid raft markers. Flotillins are involved in various signaling pathways, cell adhesion, membrane trafficking and axonal growth.

Notable Publications

Author	Pubmed ID	Journal	Application
Xue Zou	33002418	Mol Ther	WB
Jasjot Singh	36266287	Nat Commun	WB,CoIP
Robert W Hu	33134491	Transplant Direct	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 15571-1-AP (Flotillin 1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



IP result of anti-Flotillin 1 (IP:15571-1-AP, 4ug; Detection:15571-1-AP 1:500) with mouse brain tissue lysate 4400ug.



Immunohistochemical analysis of paraffinembedded human normal stomach slide using 15571-1-AP (Flotillin 1 antibody) at dilution of 1:400 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using Flotillin 1 antibody (15571-1-AP) at dilution of 1:1000 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).