For Research Use Only

## HIST1H2AC Polyclonal antibody

Catalog Number: 15953-1-AP 1 Publications





Basic Information	Catalog Number: 15953-1-AP	GenBank Accession Number: BC017379		Purification Method: Antigen affinity purification	
	Size:	GeneID (NCBI):		Recommended Dilutions:	
	150ul , Concentration: 750 ug/ml by	8334 UNIPROT ID: Q93077		WB 1:200-1:1000 IHC 1:50-1:500	
	Nanodrop and 347 ug/ml by Bradford method using BSA as the standard;				
	Source: Rabbit	Full Name: histone cluster 1,	H2ac		
	lsotype: IgG	Calculated MW: 130 aa, 14 kDa			
	Immunogen Catalog Number: AG8663	Observed MW: 17 kDa			
Applications	Tested Applications:	Positive Controls:			
	WB, IHC, ELISA	WB : mouse l		liver tissue, rat liver tissue	
	Cited Applications: WB	IHC : human skin cancer tissue,			
	Species Specificity: human, mouse, rat				
					Cited Species: human
		Note-IHC: suggested antigen r TE buffer pH 9.0; (*) Alternativ retrieval may be performed w buffer pH 6.0	vely, antigen		
Notable Publications	Author Pub	omed ID Jo	ournal	Applicatio	
	Akiya Tatsumi 363	58254 B	iology (Basel)	WB	
Storage	Storage: Store at -20°C. Stable for one year aft Storage Buffer:	·			
	PBS with 0.02% sodium azide and 50	% glycerol pH 7.3.			

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Immunohistochemical analysis of paraffinembedded skin cancer slide using 15953-1-AP (HIST1H2AC antibody) at dilution of 1:100 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

mouse liver tissue were subjected to SDS PAGE followed by western blot with 15953-1-AP (HIST1H2AC Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.