For Research Use Only

Serpin C1/Antithrombin III Polyclonal antibody



Catalog Number: 16414-1-AP

1 Publications

Basic Information

Catalog Number: 16414-1-AP

BC022309

150ul, Concentration: 240 µg/ml by Nanodrop and 167 µg/ml by Bradford Full Name:

method using BSA as the standard;

Rabbit Isotype: IgG

Immunogen Catalog Number:

GenBank Accession Number:

GeneID (NCBI):

serpin peptidase inhibitor, clade C

(antithrombin), member 1

Calculated MW: 464 aa, 53 kDa Observed MW:

AG9565

Applications

Tested Applications:

IF, IHC, WB, ELISA **Cited Applications:**

Species Specificity:

human **Cited Species:** human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:200-1:1000 IHC 1:50-1:500 IF 1:50-1:500

Positive Controls:

WB: human blood tissue, IHC: human liver tissue,

IF: HepG2 cells,

Background Information

 ${\sf SERPINC1}, also \ named \ Antithrombin \ III \ or \ Antithrombin, is \ a \ plasma \ protease \ inhibitor \ and \ a \ member \ of \ the \ serpin$ superfamily. This protein inhibits thrombin as well as other activated serine proteases of the coagulation system, and it regulates the blood coagulation cascade. More than 120 mutations have been identified for this gene, many of which are known to cause antithrombin-III deficiency.

Notable Publications

Author	Pubmed ID	Journal	Application
Takahiro Tougan	29567995	Sci Rep	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




human blood were subjected to SDS PAGE followed by western blot with 16414-1-AP (Antithrombin III antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 16414-1-AP (Antithrombin III antibody) at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 16414-1-AP (Antithrombin III antibody) at dilution of 1:200 (under 40x lens).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using 16414-1-AP (Antithrombin III antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).