

For Research Use Only

DNAJB5 Polyclonal antibody

Catalog Number: 16453-1-AP



Basic Information

Catalog Number:

16453-1-AP

Size:

150ul, Concentration: 800 ug/ml by Nanodrop and 433 ug/ml by Bradford method using BSA as the standard;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG9341

GenBank Accession Number:

BC012115

GeneID (NCBI):

25822

UNIPROT ID:

O75953

Full Name:

DnaJ (Hsp40) homolog, subfamily B, member 5

Calculated MW:

386 aa, 44 kDa

Observed MW:

39 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:20-1:200

IF/ICC 1:20-1:200

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Species Specificity:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: rat heart tissue, HeLa cells, HepG2 cells

IP: HepG2 cells,

IHC: human heart tissue, human kidney tissue, human testis tissue

IF/ICC: HepG2 cells,

Background Information

DNAJB5, also named as Hsc40, is an Hsp40 Family Protein with MW 39-40 kDa. It mediates antihypertrophic effects of Thioerodoxin1 in the heart. This protein has some isoforms with MW 39 kDa and 47-51 kDa.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




rat heart tissue were subjected to SDS PAGE followed by western blot with 16453-1-AP (DNAJB5 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




IP result of anti-DNAJB5 (IP:16453-1-AP, 4ug; Detection:16453-1-AP 1:500) with HepG2 cells lysate 3300 ug.



Immunohistochemical analysis of paraffin-embedded human heart using 16453-1-AP (DNAJB5 antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffin-embedded human heart using 16453-1-AP (DNAJB5 antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of HepG2 cells using 16453-1-AP (DNAJB5 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).