## For Research Use Only

# HRAS-Specific Polyclonal antibody

Catalog Number: 18295-1-AP

Featured Product

62 Publications

GenBank Accession Number:



**Basic Information** 

Catalog Number:

18295-1-AP BC006499
Size: GeneID (NCBI):

150ul , Concentration: 700 ug/ml by 3265

Nanodrop; UNIPROT ID:
Source: P01112
Rabbit Full Name:

Isotype: v-Ha-ras Harvey rat sarcoma viral

IgG oncogene homolog

Calculated MW: 21 kDa Observed MW: 21 kDa Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:500-1:2000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500 IF/ICC 1:200-1:800

**Applications** 

**Tested Applications:** 

WB, IHC, IF/ICC, FC (Intra), IP, ELISA

Cited Applications: WB, IHC, IF, IP Species Specificity: human, mouse, rat Cited Species: human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HEK-293 cells, SH-SY5Y cells, PC-3 cells, C6 cells, mouse kidney tissue, rat tissue, NIH/3T3 cells

IP: mouse brain tissue, HEK-293 cells IHC: human colon cancer tissue,

IF/ICC: MCF-7 cells,

## **Background Information**

HRAS, also named as c-bas/has and RASH1, is v-Ha-ras Harvey rat sarcoma viral oncogene homolog from the mammalian ras gene family and it is a member of the small GTPase superfamily. RAS proteins are involved in signal transduction pathways, and bind GDP/GTP and possess intrinsic GTPase activity. Defects in HRAS are a cause of cancer. The antibody is specific to HRAS, can't recognize NRAS and KRAS.

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Andrew M Waters	28951536	Sci Signal	WB
Thomas McFall	31551296	Sci Signal	WB
Hiroshi Senoo	34551282	Mol Cell	IP

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


### Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 18295-1-AP (HRAS-Specific antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Recombinant proteins (ag27444 (6\*His tag-KRAS-2A), ag21645(6\*His tag-KRAS-2B), ag29746(6\*His tag-NRAS), ag23265(GST-HRAS)) were subjected to SDS PAGE followed by western blot with 16155-1-AP (KRAS-2B-specific antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




WB result of HRAS-Specific antibody (18295-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-HRAS-Specific transfected HEK-293 cells.




HEK-293 cells were subjected to SDS PAGE followed by western blot with 18295-1-AP (HRAS-Specific antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




IP result of anti-HRAS-Specific (IP:18295-1-AP, 4ug; Detection:18295-1-AP 1:1000) with mouse brain tissue lysate 1840 ug.



Immunofluorescent analysis of (4% PFA) fixed MCF-7 cells using HRAS-Specific antibody (18295-1-AP) at dilution of 1:400 and Coralite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



1X10^6 HeLa cells were intracellularly stained with 0.4 ug Anti-Human HRAS-Specific (18295-1-AP) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 18295-1-AP (HRAS-Specific antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Sodium Citrate buffer (pH 6.0).