For Research Use Only

## UPK2 Polyclonal antibody

Catalog Number:21149-1-AP 5 Publications




Basic Information	Catalog Number: 21149-1-AP	GenBank Accession Number: BC113900	Purification Method: Antigen affinity purification
	Size:	GeneID (NCBI):	Recommended Dilutions:
	150ul , Concentration: 900 ug/ml by	7379	IHC 1:50-1:500
	Nanodrop and 473 ug/ml by Bradford method using BSA as the standard;	UNIPROT ID: 000526	
	Source: Rabbit	Full Name: uroplakin 2	
	Isotype: IgG	Calculated MW: 184 aa, 19 kDa	
	Immunogen Catalog Number: AG15694	Observed MW: 28 kDa	
Applications	Tested Applications: IHC, ELISA	Positive Controls:	
	IHC : human bladder tissue, mouse bladder tissue Cited Applications: WB, IHC, IF		
	Species Specificity: human, mouse		
	Cited Species: human, mouse, rat		
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0		
	retrieval may be performed w		
Background Information	retrieval may be performed w buffer pH 6.0 Uroplakins are a group of urothelial c asymmetric unit membrane (AUM), w play a role in strengthening the uroth	ith citrate differentiation-related membrar which forms the apical plaques o velial apical surface thus preven n-2 (UPK2) is a single-pass type	
	retrieval may be performed w buffer pH 6.0 Uroplakins are a group of urothelial c asymmetric unit membrane (AUM), w play a role in strengthening the uroth distention (PMID: 8175808). Uroplaki important role in regulating the asser	ith citrate differentiation-related membrar which forms the apical plaques o velial apical surface thus preven n-2 (UPK2) is a single-pass type	f mammalian urothelium and is believed to ting the cells from rupturing during bladder
	retrieval may be performed w buffer pH 6.0 Uroplakins are a group of urothelial of asymmetric unit membrane (AUM), w play a role in strengthening the uroth distention (PMID: 8175808). Uroplaki important role in regulating the asser	ith citrate differentiation-related membrar which forms the apical plaques o relial apical surface thus preven n-2 (UPK2) is a single-pass type mbly of the AUM.	f mammalian urothelium and is believed to ting the cells from rupturing during bladder I membrane protein. UPK2 may play an
	retrieval may be performed w buffer pH 6.0 Uroplakins are a group of urothelial of asymmetric unit membrane (AUM), w play a role in strengthening the uroth distention (PMID: 8175808). Uroplaki important role in regulating the asset Author Pul Yuta Inoue 31	ifferentiation-related membrar /hich forms the apical plaques o lelial apical surface thus preven n-2 (UPK2) is a single-pass type mbly of the AUM.	f mammalian urothelium and is believed to ting the cells from rupturing during bladder I membrane protein. UPK2 may play an Application
	retrieval may be performed w buffer pH 6.0 Uroplakins are a group of urothelial of asymmetric unit membrane (AUM), w play a role in strengthening the uroth distention (PMID: 8175808). Uroplaki important role in regulating the asser Author Pul Yuta Inoue 31: Md Kaykobad Hossain 39	tiff citrate differentiation-related membrar which forms the apical plaques o relial apical surface thus preven n-2 (UPK2) is a single-pass type mbly of the AUM. bmed ID Journal 554870 Sci Rep	f mammalian urothelium and is believed to ting the cells from rupturing during bladder I membrane protein. UPK2 may play an Application IF IF
Background Information Notable Publications	retrieval may be performed w buffer pH 6.0 Uroplakins are a group of urothelial of asymmetric unit membrane (AUM), w play a role in strengthening the uroth distention (PMID: 8175808). Uroplaki important role in regulating the asser Author Pul Yuta Inoue 31: Md Kaykobad Hossain 39	ifferentiation-related membran which forms the apical plaques of velial apical surface thus preven n-2 (UPK2) is a single-pass type mbly of the AUM. bmed ID Journal 554870 Sci Rep 988124 Exp Cell Res 651805 Adv Sci (Wein er shipment. % glycerol, pH7.3	f mammalian urothelium and is believed to ting the cells from rupturing during bladder I membrane protein. UPK2 may play an Application IF IF


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Immunohistochemical analysis of paraffinembedded human bladder tissue slide using 21149-1-AP (UPK2 Antibody) at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human bladder tissue slide using 21149-1-AP (UPK2 Antibody) at dilution of 1:200 (under 40x lens).