

For Research Use Only

SNX18 Polyclonal antibody

Catalog Number: 21946-1-AP

1 Publications



Basic Information

Catalog Number:

21946-1-AP

Size:

150ul, Concentration: 500 ug/ml by Nanodrop and 367 ug/ml by Bradford method using BSA as the standard;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG16645

GenBank Accession Number:

BC060791

GeneID (NCBI):

112574

UNIPROT ID:

Q96RF0

Full Name:

sorting nexin 18

Calculated MW:

628 aa, 69 kDa

Observed MW:

67-70 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

Applications

Tested Applications:

WB, ELISA

Cited Applications:

WB

Species Specificity:

human

Cited Species:

human

Positive Controls:

WB : HL-60 cells, human placenta tissue, L02 cells, MCF-7 cells

Background Information

SNXs (sorting nexins) are a diverse group of cytoplasmic and membrane-associated proteins that are classified by the presence of a phospholipid-binding motif-the PX domain (PMID:12461558). SNXs are involved in endocytosis and protein trafficking. SNX18, together with SNX9 and SNX33, constitutes a separate SNX9 subfamily which is required for mitosis through endocytosis processes (PMID: 22718350, 20427313). SNX18 acts as a positive regulator of autophagy, regulates ATG9A trafficking from recycling endosomes (PMID: 24113029, 29437695).

Notable Publications

Author	Pubmed ID	Journal	Application
Valeria L Robleto	39511325	Commun Biol	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



HL-60 cells were subjected to SDS PAGE followed by western blot with 21946-1-AP (SNX18 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.