## For Research Use Only

## IL-28A Polyclonal antibody

Catalog Number: 22646-1-AP



**Purification Method:** 

WB 1:500-1:2000

IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

**Basic Information** 

Catalog Number: GenBank Accession Number:

 22646-1-AP
 BC113583

 Size:
 GeneID (NCBI):

 150ul , Concentration: 650 ug/ml by
 282616

Nanodrop and 333 ug/ml by Bradford uNIPROT ID: method using BSA as the standard; Q8IZJO

Source: Full Name:

Rabbit interleukin 28A (interferon, lambda 2)

Isotype: Calculated MW: IgG 200 aa, 22 kDa

Immunogen Catalog Number:

AG18525

Applications
Tested Applications:

WB, IHC, ELISA

WB: Recombinant protein protein,
Species Specificity:

IHC: human tonsillitis tissue,

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

## **Background Information**

IL28A, also named as IFNL2 and ZCYTO20, is a cytokine with immunomodulatory activity. It up-regulates MHC class I antigen expression. IL28A is a ligand for the heterodimeric class II cytokine receptor composed of IL10RB and IFNLR1. The ligand/receptor complex seems to signal through the Jak-STAT pathway. It plays a significant role in the antiviral immune defense in the intestinal epithelium.

**Positive Controls:** 

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


\*\*\* 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)

## **Selected Validation Data**



Recombinant protein were subjected to SDS PAGE followed by western blot with 22646-1-AP (IL-28A antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 22646-1-AP (IL-28A antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 22646-1-AP (IL-28A antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).