## For Research Use Only

## Sodium iodide symporter Polyclonal antibody Catalog Number:24324-1-AP 52 Publications




Basic Information	Catalog Number: 24324-1-AP	GenBank Accession Number: BC 105047	Purification Method: Antigen affinity purification	
	Size:	GenelD (NCBI):	Recommended Dilutions:	
	150ul , Concentration: 250 ug/ml by	6528	WB: 1:500-1:1000	
	Nanodrop;	UNIPROT ID:	IP: 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate	
	Source: Rabbit	Q92911 Full Name:	IHC: 1:20-1:200	
	Isotype:	solute carrier family 5 (sodium io	dide	
	IgG	symporter), member 5		
	Immunogen Catalog Number: AG19504	Calculated MW: 643 aa, 69 kDa		
		Observed MW: 50-55 kDa, 75-100 kDa		
Applications	Tested Applications:	Positive C	Positive Controls: WB : mouse testis tissue, mouse stomach tissue, SGC- 7901 cells IP : mouse testis tissue,	
	WB, IHC, IP, ELISA			
	Cited Applications: WB, IHC, IF, IP, ChIP			
	Species Specificity:			
	human, mouse, rat		an thyroid cancer tissue, human ovary tissue	
	Cited Species:			
	human, mouse, rat			
	Note-IHC: suggested antigen ( TE buffer pH 9.0; (*) Alternati retrieval may be performed w buffer pH 6.0	vely, antigen		
Background Information	The sodium iodide symporter (Na+/I - symporter, NIS), encoded by SLC5A5, is an integral plasma membrane glycoprotein that plays an important role in iodide uptake by thyroid cells. Expression of sodium iodide symporter has also been found in extra-thyroidal tissues, including gastric mucosa, lactating mammary gland and salivary glands. Increased expression of sodium iodide symporter has been found in thyroid tissue from patients with Graves' disease as well as papillary thyroid carcinomas. In addition, sodium iodide symporter can be a promising diagnostic and therapeutic tool for thyroid cancer and breast cancer. This antibody recognizes the mature approximately 75-100 kDa protein and a partially glycosylated 50-55 kDa protein. (PMID: 12588808, 9525971)			
Notable Publications	Author Put	omed ID Journal	Application	
	Jun Wang 329	Hum Gene Ther	IF	
		20744 Cell Chem Biol	WB	
		Am J Cancer Res	WB	
Storage	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50			
*** 20ul sizes contain 0.1% BSA	Aliquoting is unnecessary for -20 $^{\circ}$ C s	torage		
*** 20ul sizes contain 0.1% BSA For technical support and original validation da T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free In USA) or 1(312) 455-8408 (outside USA)	ta for this product please contact: E: proteintech@ptglab.com		is exclusively available under Proteinte and is not available to purchase from a	

in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com . W: ptglab.com

Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




mouse testis tissue were subjected to SDS PAGE followed by western blot with 24324-1-AP (Sodium iodide symporter antibody at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human thyroid cancer tissue slide using 24324-1-AP (Sodium iodide symporter antibody at dilution of 1:50 (under 40x lens).



IP result of anti-Sodium iodide symporter (IP:24324-1-AP, 4ug; Detection:24324-1-AP 1:500) with mouse testis tissue lysate 4000ug.



Immunohistochemical analysis of paraffinembedded human thyroid cancer tissue slide using 24324-1-AP (Sodium iodide symporter antibody at dilution of 1:50 (under 10x lens).