For Research Use Only

WRN Polyclonal antibody

Catalog Number: 25269-1-AP



Purification Method:

WB 1:200-1:1000

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number:

25269-1-AP NM_000553 GeneID (NCBI): Size:

150ul, Concentration: 600 ug/ml by Nanodrop and 560 ug/ml by Bradford UNIPROT ID: method using BSA as the standard; Q14191

Source: Full Name: Rabbit

Werner syndrome, RecQ helicase-like

Isotype: Calculated MW: 162 kDa Observed MW:

Applications

Positive Controls: **Tested Applications:**

162 kDa

WB, ELISA WB: MCF-7 cells, HEK-293 cells

Species Specificity:

human

Background Information

Werner syndrome ATP dependent helicase (WRN) ,also named as RECQ3 or RecQ protein like 2, is a 1432 amino acid protein, which contains one HRDC domain, one helicase C-terminal domain, one helicase ATP-binding domain and 3'-5' exonuclease domain. WRN localizes in the nucleoplasm and belongs to the helicase family. WRN plays a central role in the repair of methylation-induced DNA damage and has an helicase activity necessary to prevent dramatic telomere loss during DNA replication. WRN gene mutation has an association with Werner syndrome and colorectal cancer.

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

Selected Validation Data



MCF-7 cells were subjected to SDS PAGE followed by western blot with 25269-1-AP (WRN Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.