## For Research Use Only

# Osteopontin Polyclonal antibody

Catalog Number:25715-1-AP 33 Publications



**Basic Information** 

Catalog Number: 25715-1-AP

GenBank Accession Number:

BC007016

Size:

GeneID (NCBI):

150ul , Concentration: 650  $\mu g/ml$  by Nanodrop:

**UNIPROT ID:** P10451

Rabbit Full Name: Isotype secreted phosphoprotein 1

IgG Calculated MW: Immunogen Catalog Number: 314 aa, 35 kDa

Observed MW:

66 kDa

**Applications** 

**Tested Applications:** 

WB, IHC, ELISA

**Cited Applications:** 

WB, IHC, IF

AG22588

Species Specificity:

human, mouse, rat

**Cited Species:** 

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Purification Method:** Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:1000 IHC 1:50-1:500

#### Positive Controls:

WB: mouse kidney tissue, HEK-293, rat kidney tissue,

HEK-293 cells, C2C12 cells

IHC: human stomach cancer tissue, human kidney

tissue, human small intestine tissue

# **Background Information**

Osteopontin (OPN), also known as SPP1, is a secreted glycophosphoprotein that belongs to the small integrinbinding ligand N-linked glycoprotein (SIBLING) family. Originally isolated from bone, OPN has been found in kidney, vascular tissues, biological fluids, and various tumor tissues (PMID: 15138464; 16406521). OPN can interact with CD44 and integrins and regulate diverse biological processes. It has a multifaceted role in bone development and remodeling, and is also involved in the inflammatory and immune response, oncogenesis and cancer progression. The very acidic nature of OPN, as well as the presence of variable posttranslational modifications, has led to anomalous migration in SDS-polyacrylamide gels and therefore to reports of different molecular weights for OPN (PMID: 8293561). Depending on the cell and tissue source and/or the SDS-PAGE system, OPN migrates with a molecular weight of 44-80 kDa, as well as at some smaller bands correspond to peptide fragments (PMID: 8195113; 17890765).

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Christian Stern	31561491	Int J Mol Sci	WB
Lin Liu	36309970	Clin Exp Pharmacol Physiol	WB
Xiaopei Wu	33449642	ACS Biomater Sci Eng	WB, IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


# **Selected Validation Data**




mouse kidney tissue were subjected to SDS PAGE followed by western blot with 25715-1-AP (Osteopontin antibody at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 25715-1-AP (Osteopontin antibody at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 25715-1-AP (Osteopontin antibody at dilution of 1:200 (under 40x lens).



Various lysates were subjected to SDS PAGE followed by western blot with 25715-1-AP (Osteopontin antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.