

For Research Use Only

# TFAP2E Polyclonal antibody

Catalog Number: 25829-1-AP **1 Publications**



## Basic Information

<b>Catalog Number:</b> 25829-1-AP	<b>GenBank Accession Number:</b> BC041175	<b>Purification Method:</b> Antigen affinity purification
<b>Size:</b> 150ul, Concentration: 400 µg/ml by Nanodrop and 287 µg/ml by Bradford method using BSA as the standard;	<b>GeneID (NCBI):</b> 339488	<b>Recommended Dilutions:</b> WB 1:500-1:1000 IHC 1:50-1:500 IF 1:50-1:500
<b>Source:</b> Rabbit	<b>Full Name:</b> transcription factor AP-2 epsilon (activating enhancer binding protein 2 epsilon)	
<b>Isotype:</b> IgG	<b>Calculated MW:</b> 442 aa, 46 kDa	
<b>Immunogen Catalog Number:</b> AG23023	<b>Observed MW:</b> 46 kDa	

## Applications

### Tested Applications:

IF, IHC, WB, ELISA

### Cited Applications:

IF

### Species Specificity:

human, mouse, rat

### Cited Species:

mouse

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

### Positive Controls:

WB: A375 cells, mouse brain tissue, rat brain tissue

IHC: human skin cancer tissue,

IF: A375 cells,

## Background Information

### Notable Publications

Author	Pubmed ID	Journal	Application
Jennifer M Lin	36111787	Elife	IF

## Storage

### Storage:

Store at -20°C. Stable for one year after shipment.

### Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data



Immunohistochemical analysis of paraffin-embedded human skin cancer tissue slide using 25829-1-AP (TFAP2E antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



A375 cells were subjected to SDS PAGE followed by western blot with 25829-1-AP (TFAP2E Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed A375 cells using 25829-1-AP (TFAP2E antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).