## For Research Use Only

# **UBC9** Polyclonal antibody

Catalog Number:51018-2-AP

**Featured Product** 

6 Publications



**Basic Information** 

Catalog Number:

51018-2-AP

150ul , Concentration: 600  $\mu g/ml$  by Bradford method using BSA as the

standard;

Source: Rabbit

Isotype:

GenBank Accession Number:

BC051289 GeneID (NCBI):

**UNIPROT ID:** 

P63279 Full Name:

ubiquitin-conjugating enzyme E2I

(UBC9 homolog, yeast)

Calculated MW:

18 kDa

Observed MW:

18 kDa

**Purification Method:** Antigen affinity purification Recommended Dilutions:

WB 1:1000-1:4000

**Applications** 

**Tested Applications:** 

WB, IP, ELISA

**Cited Applications:** 

Species Specificity:

human, mouse

Cited Species: human, mouse, pig Positive Controls:

WB: mouse thymus tissue,

# **Background Information**

UBC9 is also named as UBE2I, UBCE9 and belongs to the ubiquitin-conjugating enzyme family. It is a homologue of the E2 ubiquitin conjugating enzyme and participates in the covalent linking of SUMO-1 molecule to the target protein. This protein is present at a high level in spleen and lung. Moderate level of UBC9 is detected in kidney and lung and lung is detected in kidney and lung is detected in kidneyliver. Low amount of UBC9 is observed in brain, whereas the 18 kDa band of UBC9 is barely visible or absent in heart and skeletal muscle. In heart and muscle extracts the UBC9 antibodies recognizes a 38 kDa protein band, but this band is not visible in extracts of other rat tissues (PMID:14739995).

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Boli Hu	32876514	Autophagy	
Bo Chen	34491997	PLoS Genet	WB
Tao Zhang	36050397	Nat Commun	WB

Storage

Storage:

Store at -20°C.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

## Selected Validation Data



IP & WB of 51018-2-AP with Mouse heart tissue



mouse thymus tissue were subjected to SDS PAGE followed by western blot with 51018-2-AP (UBC9 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.

IP result of anti-UBE2I (51018-2-AP for IP and Detection) with mouse heart tissue lysate.