#### For Research Use Only

# TRIP6 Monoclonal antibody

Catalog Number: 60205-1-lg 1 Publications



Purification Method:

**Basic Information** 

Catalog Number: GenBank Accession Number: 60205-1-lg BC004249

60205-1-lg BC004249 Protein A purification
Size: GeneID (NCBI): CloneNo.:

Size: Genel D (NCBI): CloneNo.

150ul , Concentration: 903 ug/ml by 7205 5D8C7

Nanodrop and 1200 ug/ml by Bradford UNIPROT ID: Recommended Dilutions: method using BSA as the standard; Q15654 WB 1:500-1:2000

Source: Full Name: IHC 1:200-1:800

Mouse thyroid hormone receptor interactor 6

Isotype: Calculated MW:
IgG1 476 aa, 50 kDa
Immunogen Catalog Number: Observed MW:
AG15149 50 kDa

**Applications** 

Tested Applications:

WB, IHC, ELISA

WB: Hela cells,

Cited Applications:

WB IHC : human ovary tumor tissue, human liver tissue, human colon cancer tissue, human colon tissue, human

Species Specificity: gliomas tissue

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

## **Background Information**

TRIP6 (thyroid receptor-interacting protein 6), also known as ZRP-1 (zyxin-related protein 1), is a member of the zyxin family that has been implicated in actin reorganization and cell motility. Trip6 has been proposed to transport signals from the cell surface to the nucleus.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Marcela Raices	28586646	Dev Cell	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

## Selected Validation Data



HeLa cells were subjected to SDS PAGE followed by western blot with 60205-1-lg (TRIP6 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 60205-1-Ig (TRIP6 Antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).