For Research Use Only

PAX1-Specific Monoclonal antibody

Catalog Number:60217-1-lg 1 Publications


Antibodies | ELISA kits | Proteins WWW.ptglab.com

| Basic Information | Catalog Number: 60217-1-lg | GenBank Accession Number: NM_006192 | Purification Method: Protein A purification | |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------|--|
| | Size: | GeneID (NCBI): | CloneNo.: | |
| | 150ul , Concentration: 2200 ug/ml by Nanodrop and 1600 ug/ml by Bradford method using BSA as the standard; | | 5A10D9 Recommended Dilutions: WB 1:500-1:2000 | |
| | Source: Mouse | Full Name: paired box 1 | | |
| | lsotype: lgG2b | Calculated MW: 55 kDa | | |
| | | Observed MW: 45 kDa | | |
| Applications | Tested Applications: | Positive Controls: WB : K-562 cells, | | |
| | WB, ELISA Cited Applications: IF | | | |
| | Species Specificity: human, mouse | | | |
| | Cited Species: mouse | | | |
| Background Information | PAX1, also named as HUP48, is a transcriptional activator. It may play a role in the formation of segmented structures of the embryo and may play an important role in the normal development of the vertebral column. It is a marker of the sclerotomal compartment. PAX1 was reported that, quantitative measurement of PAX1 hyper- methylation in cervical scrapings is highly sensitive and is more specific than HC2 in detection of cervical cancer. It is expressed by vSMC and pericytes during the earliest phases of vascular wall formation. This antibody is specific to PAX1. | | | |
| Notable Publications | Author Pub | med ID Journal | Application | |
| | Jun Sun 3770 | 04733 Nature | IF | |
| Storage | Storage: Store at -20°C. Stable for one year after Storage Buffer: PBS with 0.02% sodium azide and 50° | | | |
| *** 20ul sizes contain 0.1% BSA | Aliquoting is unnecessary for -20°C st | torage | | |

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



K-562 cells were subjected to SDS PAGE followed by western blot with 60217-1-1g (PAX1-Specific Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.