For Research Use Only

## ARHGDIB Monoclonal antibody

Catalog Number:66054-1-lg 1 Publications




Basic Information	Catalog Number: 66054-1-lg	GenBank Accession Number: BC009200 GeneID (NCBI): 397 dUNIPROT ID:		Purification Method: Protein G purification	
	Size: 150ul , Concentration: 1900 ug/ml by Nanodrop and 1007 ug/ml by Bradford			CloneNo.: 3E7B7 Recommended Dilutions: WB 1:10000-1:50000 IHC 1:5000-1:10000 IF-P 1:200-1:800	
	method using BSA as the standard; Source: Mouse	P52566 Full Name: Rho GDP dissociation inhibitor (GDI) beta Calculated MW: 201 aa, 23 kDa Observed MW:			
	Isotype: IgG2b Immunogen Catalog Number: AG9091				
					27 kDa
		Applications	Tested Applications:		Positive Cont
WB, IHC, IF-P, ELISA Cited Applications:			WB : THP-1 ce Raji cells	ells, Jurkat cells, U-937 cells, HL-60 cells tonsillitis tissue, human cerebellum	
WB Species Specificity: human, mouse, rat			IHC : human t tissue		
Cited Species: human	ited Species:				
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0					
Background Informatior	from them, and the subsequent bindir	exchange reaction of ng of GTP to them. It is esis and metastasis. R	the Rho proteins mainly in hema hoGDI2 express	topoietic, endothelial, and epithelial ion is downregulated in several cancer	
Notable Publications	Author Pubr	med ID Journ	al	Application	
Notable Publications			al Itology	Application WB	
Notable Publications Storage		94290 Hema er shipment.			


For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates (25µg/lane) were subjected to SDS PAGE followed by western blot with 66054-1-lg (ARHGDIB antibody) at dilution of 1:200000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66054-1-Ig (ARHGDIB antibody) at dilution of 1:10000 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66054-1-1g (ARHGDIB antibody) at dilution of 1:10000 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using ARHGDIB antibody (66054-1-1g, Clone: 3E7B7) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using ARHGDIB antibody (66054-1-1g, Clone: 3E7B7) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L).