For Research Use Only

AMPK Alpha Polyclonal antibody

Catalog Number: 10929-2-AP

Featured Product

184 Publications

GenBank Accession Number:



Purification Method:

WB 1:2000-1:10000

protein lysate

IHC 1:50-1:500

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

Basic Information

Catalog Number:

10929-2-AP BC012622 Size: GeneID (NCBI):

150ul, Concentration: 500 µg/ml by 556

Nanodrop; UNIPROT ID:

Source: Q13131 Rabbit Full Name:

Isotype: protein kinase, AMP-activated, alpha

IgG 1 catalytic subunit
Immunogen Catalog Number: Calculated MW:
AG1367 63 kDa

Observed MW: 64 kDa

Applications

Tested Applications:

IHC, IP, WB, ELISA
Cited Applications:

IF, IHC, IP, WB Species Specificity:

human, mouse, rat
Cited Species:

human, goat, carp, rat, mouse, rabbit, fish, zebrafish,

pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:**

WB: HeLa cells, Jurkat cells, NIH/3T3 cells

IP: HeLa cells,

IHC: human prostate cancer tissue,

Background Information

The mammalian 5-prime-AMP-activated protein kinase (AMPK) appears to play a role in protecting cells from stresses that cause ATP depletion by switching off ATP-consuming biosynthetic pathways. PRKAA1 is also named as AMPK1, ACACA kinase, HMGCR kinase. It is a mammalian homologue of sucrose non-fermenting protein kinase (SNF-1), which belongs to a serine/threonine protein kinase family. It has 2 isoforms with molecular mass of 63-66 kDa produced by alternative splicing.10929-2-AP can recognize both AMPK Alpha 1 and AMPK Alpha 2.

Notable Publications

Author	Pubmed ID	Journal	Application
Xiao-Fei Guo	29113747	Prostaglandins Leukot Essent Fatty Acids	WB
Xiaochen Bai	34543233	Aging (Albany NY)	WB
Shijie Cao	30268048	Environ Toxicol Pharmacol	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 10929-2-AP (AMPK Alpha 1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 10929-2-AP (AMPK Alpha 1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 10929-2-AP (AMPK Alpha 1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-AMPK Alpha (IP:10929-2-AP, 4ug; Detection:10929-2-AP 1:1000) with HeLa cells lysate 1600 ug.