For Research Use Only

THTPA Polyclonal antibody

Catalog Number: 15486-1-AP

1 Publications



Basic Information

Catalog Number: 15486-1-AP

BC002984 GeneID (NCBI):

GenBank Accession Number:

150ul, Concentration: 200 µg/ml by 79178 Nanodrop and 180 µg/ml by Bradford Full Name:

method using BSA as the standard; thiamine triphosphatase

Calculated MW: Rabbit 26 kDa Isotype: Observed MW: IgG 26-35 kDa

Immunogen Catalog Number:

AG7834

Size:

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:500-1:1000

IP 0.5-4.0 ug for IP and 1:500-1:1000

for WB IHC 1:20-1:200 IF 1:10-1:100

Applications

Tested Applications:

IF, IHC, IP, WB, ELISA **Cited Applications:**

Species Specificity:

human, mouse, rat **Cited Species:**

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: K-562 cells, A431 cells, HeLa cells, human brain tissue, mouse testis tissue, mouse uterus tissue, PC-3

IP: K-562 cells,

IHC: human stomach cancer tissue,

IF: HepG2 cells,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Shuqian Liu	24454921	PLoS One	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




K-562 cells were subjected to SDS PAGE followed by western blot with 15486-1-AP (THTPA antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human stomach cancer using 15486-1-AP (THTPA antibody) at dilution of 1:50 (under 40x lens)



Immunofluorescent analysis of HepG2 cells, using THTPA antibody 15486-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



IP Result of anti-THTPA (IP:15486-1-AP, 3ug; Detection:15486-1-AP 1:800) with K-562 cells lysate 1720ug.