For Research Use Only

UBC9 Polyclonal antibody

Catalog Number:51018-2-AP

Featured Product

6 Publications



Purification Method:

WB 1:1000-1:4000

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number:

51018-2-AP

Size:

150ul, Concentration: 600 µg/ml by Bradford method using BSA as the

standard:

Source: Rabbit

Isotype: IgG

BC051289

7329

(UBC9 homolog, yeast)

18 kDa

Observed MW:

Applications

Tested Applications:

IP, WB, ELISA

Cited Applications:

WB

Species Specificity: human, mouse **Cited Species:**

human, mouse, pig

GenBank Accession Number:

GeneID (NCBI):

Full Name:

ubiquitin-conjugating enzyme E2I

Calculated MW:

18 kDa

Positive Controls:

WB: mouse thymus tissue,

Background Information

UBC9 is also named as UBE2I, UBCE9 and belongs to the ubiquitin-conjugating enzyme family. It is a homologue of the E2 ubiquitin conjugating enzyme and participates in the covalent linking of SUMO-1 molecule to the target protein. This protein is present at a high level in spleen and lung. Moderate level of UBC9 is detected in kidney and liver. Low amount of UBC9 is observed in brain, whereas the 18 kDa band of UBC9 is barely visible or absent in heart and skeletal muscle. In heart and muscle extracts the UBC9 antibodies recognizes a 38 kDa protein band, but this band is not visible in extracts of other rat tissues (PMID:14739995).

Notable Publications

Author	Pubmed ID	Journal	Application
Boli Hu	32876514	Autophagy	
Bo Chen	34491997	PLoS Genet	WB
Tao Zhang	36050397	Nat Commun	WB

Storage

Storage:


Store at -20°C.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



IP & WB of 51018-2-AP with Mouse heart tissue



mouse thymus tissue were subjected to SDS PAGE followed by western blot with 51018-2-AP (UBC9 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.

IP result of anti-UBE2I (51018-2-AP for IP and Detection) with mouse heart tissue lysate.