

Catalog Number: HZ-1100

Data Sheet





Animal Component-Free

Human cell expressed

Tag-Free


Endotoxin Free

Product Description


Animal-free Recombinant Human FGF-7 (KGF) is expressed in human 293 cells as a monomeric glycoprotein with an apparent molecular mass of 17 and 30 kDa. FGF-7 appears to act on epithelial cells. It also seems to motivate and stimulate proliferation, migration, and differentiation of these cells. It plays a significant role in development, morphogenesis, wound healing, angiogenesis, and tumorigenesis. This cytokine is produced in a human cell expression system with serum-free, chemically defined media. Authentic glycosylation contributes to stability in cell growth media and other applications.

	Alternative Names	FGF 7, FGF7, FGF-7, Fibroblast growth factor 7, HBGF 7, Keratinocyte growth factor, KGF		
	Source	Human Embryonic Kidney cells (HEK293). HEK293-derived FGF-7 (KGF) protein		
Species Reactivity human,monke		human,monkey,mouse		

	Specifications				
Test	Method	Specification			
Activity	Dose-dependent stimulation of the proliferation of 4MBr-5 cells (monkey epithelial cell line).	4-20 ng/mL EC50			
Molecular Mass	SDS-PAGE	17 and 25 to 30 kDa reduced, 17 and 24 to 29 kDa non-reduced, monomer, glycosylated			
Purity	SDS-PAGE	>95%			
Endotoxin	LAL	<1 EU/μg			



Recombinant human FGF-7 (HZ-1100) Stimulates dosedependent proliferation of the 4MBr-5 Monkey epithelial cell line. Viable cell number was quantitatively assessed by PrestoBlue Cell Viability Reagent. 4MBr-5 ells were treated with increasing concentrations of recombinant human FGF-7 for 120 hours. The EC50 was determined using a 4-parameter non-linear



www.ptglab.com

Document #: FR-QA118-101 Rev 0
Data Sheet Version #: 1

Proteintech Group, Inc.

5500 Pearl Street, Suite 400 Rosemont, IL 60612 t: 1-888-478-4522; f: 1-312-455-8408 Email: proteintech@ptglab.com

	Preparation		
Shipping Temperature	ambient temperature		
Formulation	1x PBS, See Certificate of Analysis for details		
Reconstitution	Briefly centrifuge the vial before opening. It is recommended to reconstitute the protein in sterile 1x PBS pH 7.4 containing 0.1% endotoxin-free recombinant human serum albumin (HSA).		

	Product Form	Temperature Conditions	Storage Time (From Date of Receipt)
	Lyophilized	-20°C to -80°C	Until Expiry Date
Stability and Storage	Lyophilized	Room Temperature	2 weeks
	Reconstituted as per CofA	-20°C to -80°C	6 months
	Reconstituted as per CofA	4°C	1 week
		Avoid repeated freeze-thaw cycles.	

www.ptglab.com

Document #: FR-QA118-101 Rev 0 Data Sheet Version #: 1 Proteintech Group, Inc.

5500 Pearl Street, Suite 400 Rosemont, IL 60612 t: 1-888-478-4522; f: 1-312-455-8408 Email: proteintech@ptglab.com