



# IHCeasy FGFR3 Ready-To-Use IHC Kit

Catalog Number: KHC1056

General Information

Sample type: FFPE tissue Cited sample type: Reactivity: Human, Mouse, Rat Cited Reactivity: Assay type: Immunohistochemistry Primary antibody type: Rabbit Polyclonal

Secondary antibody type: Polymer-HRP-Goat anti-Rabbit

#### Kit Component

| Component                | Size               | Concentration |
|--------------------------|--------------------|---------------|
| Antigen Retrieval Buffer | 100 mL             | 50×           |
| Washing Buffer           | 100 mL ×2          | 20×           |
| Blocking Buffer          | 5 mL               | RTU           |
| Primary Antibody         | 5 mL               | RTU           |
| Secondary Antibody       | 5 mL               | RTU           |
| Chromogen Component A    | 0.2 mL             | RTU           |
| Chromogen Component B    | 4 mL               | RTU           |
| Signal Enhancer          | 5 mL               | RTU           |
| Counter Staining Reagent | 5 mL               | RTU           |
| Mounting Media           | 5 mL               | RTU           |
| Control Slide            | 1 slide (Optional) | FFPE          |
| Datasheet                | 1 Copy             |               |
| Manual                   | 1 Copy             |               |

### **Storage Instructions**

All the reagents are stored at 2-8°C. The kit is stable for 6 months from the date of receipt.


# Background

Fibroblast growth factors (FGFs) are polypeptide growth factors involved in a variety of activities including mitogenesis, angiogenesis, and wound healing. The human FGF receptor family, a subfamily of receptor tyrosine kinases (RTKs), comprises of four family members-FGFR1, FGFR2, FGFR3 and FGFR4. Each receptor contains an extracellular domain with either two or three immunoglobulin-like domains, a transmembrane domain, and a cytoplasmic tyrosine kinase domain. FGFR3 binds acidic and basic fibroblast GH and plays a role in bone development and maintenance. Mutations in the FGFR3 gene lead to craniosynostosis and multiple types of skeletal dysplasia. Due to frequent mutations in certain cancers, FGFR3 gene has also been associated with tumor progression.


# Synonyms

ACH, CD333, CEK2, FGFR 3, FGFR3, HSFGFR3EX, JTK4

# Selected Validation Data




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using KHC1056 (FGFR3 IHC Kit).




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using KHC1056 (FGFR3 IHC Kit).



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using KHC1056 (FGFR3 IHC Kit).



Immunohistochemical analysis of paraffinembedded rat kidney tissue slide using KHC1056 (FGFR3 IHC Kit).



Immunohistochemical analysis of paraffinembedded rat testis tissue slide using KHC1056 (FGFR3 IHC Kit).