



IHCeasy STK17B Ready-To-Use IHC Kit

Catalog Number: KHC1152

General Information

Sample type: FFPE tissue Cited sample type: Reactivity: Human Cited Reactivity: Assay type: Immunohistochemistry Primary antibody type: Rabbit Polyclonal

Secondary antibody type: Polymer-HRP-Goat anti-Rabbit

Kit Component

Component	Size	Concentration
Antigen Retrieval Buffer	100 mL	50×
Washing Buffer	100 mL ×2	20×
Blocking Buffer	5 mL	RTU
Primary Antibody	5 mL	RTU
Secondary Antibody	5 mL	RTU
Chromogen Component A	0.2 mL	RTU
Chromogen Component B	4 mL	RTU
Signal Enhancer	5 mL	RTU
Counter Staining Reagent	5 mL	RTU
Mounting Media	5 mL	RTU
Control Slide	1 slide (Optional)	FFPE
Datasheet	1 Copy	
Manual	1 Copy	

Storage Instructions

All the reagents are stored at 2-8°C. The kit is stable for 6 months from the date of receipt.

Background

Serine/threonine kinase 17B (STK17B), also named as DRAK2, whose gene is located on chromosome 2 (2q32.3), was first reported by Sanjo et al. in 1998. STK17B has been identified as a promising therapeutic target for type 1 diabetes, multiple sclerosis, and graft rejection. There are also some reports demonstrated that STK17B was related to apoptosis in various cell types, such as islet β -cells and acute myeloid leukemia cells. Some researches revealed that STK17B was deregulated in some cancers and have important role in cancer progression. It has an indispensable role in NAFLD/NASH and offer a potential therapeutic arget for this disease.

Synonyms

DRAK2, serine/threonine kinase 17b, STK17B

Selected Validation Data



Immunohistochemical analysis of paraffinembedded human appendicitis tissue slide using KHC1152 (STK17B IHC Kit).



Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using KHC1152 (STK17B IHC Kit).